

***Consumer Data Warehouse  
Data Dictionary***

***Effective 07/01/15  
Version 2.1***

## Table of Contents

### Contents

ability_to_pay, column.....	5
access_timeline, column.....	6
accomm_for_handi, column (Special Consumer Needs).....	7
accomm_spec_cons_need1-10, columns.....	8
active_military_operation, column.....	9
active_military_status, column.....	10
adm_ref_src, column.....	11
appoint_date.....	13
appoint_time.....	14
area_pgm_code, column.....	15
area_pgms_end_date, column.....	16
area_pgms_last_updt_date, column.....	17
area_pgms_start_date, column.....	18
arrests_30_days, column.....	19
attn_self_help, column.....	20
commit_status_ap, column.....	21
competency_status, column.....	22
cons_adm_commit_status, column.....	23
cons_adm_competence_status, column.....	24
cons_adm_date, column.....	25
cons_area_pgm_facility, column.....	26
cons_consumer_id, column.....	27
cons_county_reside, column.....	28
cons_date_of_birth, column.....	29
cons_dual_diagnosis, column.....	30
cons_error_code, column.....	31
cons_id_identifier, column.....	32
cons_id_last_update_date, column.....	33
cons_last_served_date, column.....	34
cons_last_updt_date, column.....	35
cons_num_prior_adm, column.....	36
cons_patient_days, column.....	37
cons_respon_county, column.....	38
cons_scr_date, column.....	39
cons_status_date, column.....	40
consv_status, column.....	41
county_code, column.....	42
court_order_type, column.....	45
diag_end_date, column.....	46
diag_last_update_date, column.....	47
diag_start_date, column.....	48
diagv_axis_code, column.....	49
diagv_class, column.....	50
diagv_code_num, column.....	51
diagv_dsm_group, column.....	52
diagv_dsm_group_ver, column.....	54
diagv_ver_axis, column.....	55
diagv_ver_end_date, column.....	56
diagv_ver_start_date, column.....	57
disa_end_date, column.....	58

disa_fa_date_1, column.....	59
disa_fa_date_2, column.....	60
disa_fa_score_1, column.....	61
disa_fa_score_2, column.....	62
disa_last_updt_date, column.....	63
disa_start_date, column.....	64
disav_class, column.....	65
disav_code, column.....	66
disav_fa_scale, column.....	67
disav_loe, column.....	68
dischv_reason, column.....	69
dischv_ref_src, column.....	71
eap_code, column.....	72
education_level, column.....	73
employment_status, column.....	74
english_proficiency, column.....	75
ethnicity, column.....	76
family_income, column.....	77
family_size, column.....	78
federal_service_type, column.....	79
gender, column.....	80
health_med_ins, column.....	81
identifier_type, column.....	82
institution_code, column.....	83
legal_charge_code, column.....	84
legal_status, column.....	85
legally_resp_person, column.....	86
living_arrang, column.....	87
loa_end_date, column.....	89
loa_last_updt_date, column.....	90
loa_start_date, column.....	91
loav_type, column.....	92
marital_status, column.....	93
meth_plan_ind, column (Opiod Replacement Therapy).....	94
Patient_type, column.....	95
primary_language, column.....	96
prov_chos_how, column.....	97
prov_chos_why, column.....	98
race, column.....	99
risk_admit_date, column.....	100
risk_last_updt_date, column.....	101
risky_factor, column.....	102
sa_end_date, column.....	103
sa_last_update_date, column.....	104
sa_start_date, column.....	105
samo_end_date, column.....	106
samo_last_update_date, column.....	107
samo_start_date, column.....	108
sav_age_first_use, column.....	109
sav_drug_code, column.....	110
sav_drug_frequency, column.....	111
sav_drug_use_class, column.....	112
sav_drug_use_route, column.....	113
screen_county_resid, column.....	115
screen_medicaid_enrollment, column.....	116

screen_method, column.....	117
screen_pres_agedis_prob1, column.....	118
screen_pres_agedis_prob2, column.....	119
screen_pres_agedis_prob3, column.....	120
screen_time_begin, column.....	121
screen_time_end, column.....	122
serv_end_date, column.....	123
serv_last_updt_date, column.....	124
serv_start_date, column.....	125
service_code, column.....	126
spec_end_date, column.....	130
spec_last_updt_date, column.....	131
spec_start_date, column.....	132
specv_type, column.....	133
state_of_residence, column.....	135
thom_effective_date, column.....	137
thom_end_date, column.....	138
thom_last_updt_date, column.....	139
thomv_type, column.....	140
traumatic_brain_injury, column.....	141
ufds_code, column.....	142
veteran_status, column NEW DATA VALUES.....	143
where_ref_after_triag, column.....	144
will_effective_date, column.....	145
will_end_date, column.....	146
will_last_updt_date, column.....	147
willv_status, column.....	148
zipcode, column.....	149

**ability\_to\_pay, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	ability_to_pay		
<b>Code:</b>	ability_to_pay		
<b>Label:</b>	OPTIONAL		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

## Description

Ability of the client to pay for services, the purpose is to determine medical indigence.

M= can pay the minimum cost (also includes indigent, Medicaid)

P= can pay partial cost,

F= can pay full cost,

U= unknown.

**Annotation**

Data migration note:

New field, move an ' to initialize.

Post migration note:

If not sent in i.e. blanks, make target field 'U's

Validate against the 'ability to pay' table.

If field is valid move to target, else move 'O's.

**access\_timeline, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	access_timeline		
<b>Code:</b>	access_timeline		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

**Description**

At time of client screening, the purpose is to determine urgency of need assessed.

E= Emergent	Consumers with life threatening emergency must be seen within 2 hrs.
N = Non Threshold	Consumer does not meet "need" criteria. Refer to community
R= Routine	Consumers must be provided with services within 14 days.
U= Urgent	Consumers will be seen within 48 hours.

**Annotation**

**accomm\_for\_handi, column (Special Consumer Needs)**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	accomm_for_handi		
<b>Code:</b>	accomm_for_handi		
<b>Label:</b>	OPTIONAL		
<b>Domain:</b>			
<b>Type:</b>	char(2)		
<b>Length:</b>	2	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	2

**Description**

Accommodations needed for special needs. This data field is on the Demographic Record and is now an optional field. This field is also on the Screening Record which has been discontinued.

Values

01	Wheelchair/mobility needs
02	Sign Language/Interpreter
03	Other
04	Childcare
05	Visually Impaired
06	Intellectual Disability
07	Frail Senior
08	Foreign Language Interpreter
09	Deaf/Hearing Impaired
10	Physical Disability
99	Not Applicable

**Annotation**

Data migration note:

No data available from the current IMS system. No migration will take place.

Post migration note:

If blanks are encountered insert 'U's into target,

If validity check fails against the 'accommodations for handicapped' table insert 'O's in target, else insert proper value.

New Data Item on Screening Record effective 10/1/2008.

Will become a Mandatory Field on the Admission Record effective 10/1/2008.

## accomm\_spec\_cons\_need1-10, columns

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	accomm_spec_cons_need1-10		
<b>Code:</b>	accomm_spec_cons_need1-10		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

### Description

Accommodations of Special Consumer Needs. New field on the demographic record effective 07012015.

accomm\_spec\_cons\_need1

1=Consumer has special needs and at least one special need is detailed in accomm\_spec\_cons\_need2-10

2=Consumer has no special needs

accomm\_spec\_cons\_need2-10

1=Yes

2=No

### Annotation

This is a series of fields where multiple selections (✓ all that apply) are allowed. These fields are on the demographic record (type 11) and should not be confused with the accomm\_for\_handi, column (Special Consumer Needs) which is on the discontinued screening record and an optional field on the demographic record.

accomm\_spec\_cons\_need1 is used for Accommodation of Special Consumer Needs – None/Not Applicable

accomm\_spec\_cons\_need2 is used for Accommodation of Special Consumer Needs – Wheelchair /Mobility Needs

accomm\_spec\_cons\_need3 is used for Accommodation of Special Consumer Needs – Childcare

accomm\_spec\_cons\_need4 is used for Accommodation of Special Consumer Needs – Frail Senior

accomm\_spec\_cons\_need5 is used for Accommodation of Special Consumer Needs – Sign Language Interpreter

accomm\_spec\_cons\_need6 is used for Accommodation of Special Consumer Needs – Visually Impaired

accomm\_spec\_cons\_need7 is used for Accommodation of Special Consumer Needs – Foreign Language Interpreter

accomm\_spec\_cons\_need8 is used for Accommodation of Special Consumer Needs – Deaf/Hearing Impaired

accomm\_spec\_cons\_need9 is used for Accommodation of Special Consumer Needs – Physical Disability

accomm\_spec\_cons\_need10 is used for Accommodation of Special Consumer Needs – Other

**active\_military\_operation, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	active_military_operation		
<b>Code:</b>	active_military_operation		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

**Description (DISCONTINUE)**

Mandatory data field if Active Military Status, Military Reserve or National Guard is "Yes". Indicates which operation the client was involved in, or the client's family member was involved in.

- 1=Operation Iraqi Freedom (OIF) (2003 to Present)
- 2=Operation Enduring Freedom (OEF) (2001 to Present)
- 3=Non-Combat Service Only
- 4=Other War or Conflict

**Annotation**

Data item on Screening Record. Discontinued effective 7/1/2015.

**active\_military\_status, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	active_military_status		
<b>Code:</b>	active_military_status		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

**Description (DISCONTINUED)**

Indicates if you or a member of your immediate family or household is currently serving in or has served in, the Military, Military Reserve or National Guard

1=Yes, Active Military, Reserve or Guard

2=Yes, Veteran or prior service member

3=Yes, Family Member

4=No

**Annotation**

Screening Record

**adm\_ref\_src, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	adm_ref_src		
<b>Code:</b>	adm_ref_src		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(2)		
<b>Length:</b>	2	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	2

**Description**

The principle source that referred the client to the facility.

## Admission Referral Source:

CDW	Desc.
1	Self/ no referral,
10	Family, friends.
21	Other outpatient and residential non-state facility.
22	State facility.
23	Psychiatric service, General hospital.
32	Non-residential treatment/habilitation prog.
41	Private physician.
44	Nursing home board and care.
46	Veteran's admin.
48	Other health care.
60	Community agency.
71	Court, corrections, prisons.
80	Schools.
99	Other.

**Annotation**

## Data migration:

A/P	Desc.
1	Self.
10,11,12,73	Family, friends.
21,34,59,29	Other outpatient. Residential non-state facility.
22,26	State facility.
23,43	psychiatric service, General hospital.
32,45,35,33	Non-residential treatment/habilitation prog.
41,51,31	Private physician.
44,95	Nursing home board and care.
46,47	Veteran's admin.
48,49	Other health care.
60,92,93,96,91	
94,61	Community agency.

71,82,83,70,84,  
 74,87,75,64,65,  
 66,67,68,72,69,  
 86,85            Court,corrections, prisons.  
 80                Schools.  
 99                Other.

Institution	Desc.
A	Area program.
D	Schools.
F	In house transfer.
G	Emergency Room.
S	Self.
T	Family, friends.
I,N	Other outpatient.
	Residential non-state facility.
J	Criminal Justice.
K	Dept of Corrections.
M	HMO.
O	Other health care.
P	EAP (Employer Assistance Program).
U	Nursing facility.
V	VA Hospital.
X	Community agency.
Y	Private physician.
Z	Medical visit return.
0,1,2,3,8,H,Q,4	State facility.
5,6,7,E,W,B,9,C	

Post migration:

If input value is blank, move a 'U' to the target field.

If the input is invalid move 'O' to the target field.

If input validates correctly against the 'referral source' table, move input to target field.

## appoint\_date

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	appoint_date		
<b>Code:</b>	appoint_date		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(8)		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

### Description (DISCONTINUE)

At time of client screening, the appointment date is scheduled for the consumer to go see the provider if where referred after triage (data item 6) is (E) = Enhanced Benefits or (R) = Crisis Services.

If the client refuses to schedule an appointment use the following: **99991231** or **19011231**, whichever the LME System will allow.

### Annotation

## appoint\_time

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	appoint_time		
<b>Code:</b>	appoint_time		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(4)		
<b>Length:</b>	4	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	4

### Description (DISCONTINUE)

At time of client screening, the appointment time is scheduled for the consumer to go see the provider if where referred after triage (data item 6) is (E) = Enhanced Benefits or (R) = Crisis Services.

The format is in military time, HHMM (0000-2359).

### Annotation

## area\_pgm\_code, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	area_pgm_code		
<b>Code:</b>	area_pgm_code		
<b>Label:</b>	MANDATORY (Area Programs Only).		
<b>Domain:</b>	Apcode		
<b>Type:</b>	char(3)		
<b>Length:</b>	3	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	3

### Description

Three-character code, alphanumeric, no special characters and nulls accepted, representing the location, which provides the service to the client. Mandatory for LME-MCOs.

#### LME-MCO Codes:

Listed below are all the LME-MCOs 3 digit codes. Please let us know immediately if any of these are incorrect. Mergers scheduled for 07/01/2015 are not reflected below.

101	Smoky Mountain
112	Cardinal Innovations
114	Partners Behavioral Healthcare
202	CenterPointe Human Services
303	Sandhills Center
407	East Carolina Behavioral Health
408	Eastpointe
414	CoastalCare

### Annotation

#### Data migration note:

For area programs this is the first, third and fourth bytes of the facility code. Is not used in the institutions. For institutions move an ' to the target field.

#### Post migration note:

All submitted LME-MCO codes will be the five-character facility code . The first, third and fourth bytes of the facility code will be validated against the 'area program table'. Invalid area program codes will cause the record to be rejected.

For institutions move an ' to the target field

**area\_pgms\_end\_date, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	area_pgm_end_date		
<b>Code:</b>	area_pgm_end_date		
<b>Label:</b>			
<b>Domain:</b>			
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

**area\_pgms\_last\_updt\_date, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	area_pgm_last_updt_date		
<b>Code:</b>	area_pgm_last_updt_date		
<b>Label:</b>			
<b>Domain:</b>			
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

**area\_pgms\_start\_date, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	area_pgm_start_date		
<b>Code:</b>	area_pgm_startt_date		
<b>Label:</b>			
<b>Domain:</b>			
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

**arrests\_30\_days, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	arrests_30_days		
<b>Code:</b>	arrests_30_days		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	Char		
<b>Length:</b>	2	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

**Description** The number of arrests in the 30 days preceding the date of admission or discharge to or from treatment. This item is intended to capture the number of times the client was arrested for any cause during the 30 days preceding the date of admission and or discharge to/from treatment. Any formal arrest is to be counted regardless of whether incarceration or conviction resulted and regardless of the status of the arrest proceedings at the time of admission. **It should be noted that this data field is primarily collected for Substance Abuse and Mental Health clients. Developmental Disability clients should be coded as a 98. Additionally, a threshold level of at least 90% of something other than unknown (97) will be monitored through the Performance Contract.**

00-96 Number of Arrests

97 Unknown

98 Not Applicable, Developmental Disability Target Population/Principal Diagnosis

.

**Annotation**

New data field effective 05/01/08. This data field was added as a requirement of Federal Substance Abuse Block Grant reporting.

## attn\_self\_help, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	attn_self_help		
<b>Code:</b>	attn_self_help		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	Char		
<b>Length:</b>	2	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

**Description** The number of times the client has attended a self-help program in the 30 days preceding the date of admission/discharge from treatment services. Included attendance at AA, NA, and other self-help/mutual support groups focused on recovery from substance abuse and dependence. **It should be noted that this data field is primarily collected for Substance Abuse and Mental Health clients. Developmental Disability clients should be coded as a 98. Additionally, a threshold level of at least 90% of something other than unknown (97) will be monitored through the Performance Contract.**

**NOTE: This data field is called "Mutual Aid Program Attendance" on the new Adm/Disch Form.**

Valid entries:

- 01 **No attendance in the past month**
- 02 **1-3 times in past month** (less than once per week)
- 03 **4-7 times in past month** (about once per week)
- 04 **8-15 times in past month** (2 or 3 times per week)
- 05 **16-30 times in past month** (4 or more times per week)
- 06 **Some attendance, but frequency unknown**
  
- 97 **Unknown**
- 98 **Not Collected**

**Unknown (97)** Use this code if the State collects these data, but for some reason this record does not reflect an acceptable value.

**Not Collected (98)** Use this code if the State does not collect these data for submission to TEDS.

Any other entry sets the field to **Invalid (99)** during processing.

**Guidelines:** Use **Code 06** (frequency unknown) only if it is unknown that the client attended a self-help program during the month prior to admission/discharge, but there is insufficient information to record one of the specific frequency categories. Use **Code 97** (unknown) when it is not known whether the client attended a self-help program during the month prior to admission/discharge.

This item is intended to capture the frequency with which the client attended self-help groups during the 30 days preceding admission or discharge from treatment. In the event treatment was initiated less than 30 days prior to discharge, this item refers to the frequency of attendance since the treatment was initiated.

Use number of times attended self-help programs, not number of days, i.e., if a client attends self-help programs multiple times per day, let the number of times rather than the approximate times per week determine the response category. If the number exceeds 30 times in the prior 30 days, use the response category 16-30 times.

**commit\_status\_ap, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	commit_status_ap		
<b>Code:</b>	commit_status_ap		
<b>Label:</b>	OPTIONAL		
<b>Domain:</b>			
<b>Type:</b>	char(3)		
<b>Length:</b>	3	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	3

**Description (DISCONTINUE)**

Describes the outcome of screening or subsequent commitment status at admission and following admission.

Admission/Commitment Status:

CDW

001=Inpatient MH  
 002=Combination inpatient outpatient MH  
 003=Outpatient MH  
 004=Substance abuse  
 006=Reserved for potential corrections setting.  
 999=None.

**Annotation**

Data migration note:

For area programs use the crosswalk provided in the description section for this element.

Post processing note:

If the input field is not in the 'admission/commitment table' reject the record  
 else move the correct value to the target.

## competency\_status, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	competency_status		
<b>Code:</b>	competency_status		
<b>Label:</b>	OPTIONAL		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

### Description (DISCONTINUE)

This is a new field for the area programs, indicates if the client has been adjudicated incompetent.  
The field values are as follows:

C=competent,  
I=incompetent,  
M=minor,  
U=unknown.

### Annotation

Data migration note:

Data not in current IMS system cannot convert.

Post migration note:

If input is blank, and client is an adult move 'U' to target,  
if a child then move 'M' to target.

Verify the input against the 'competency status table'.

If not in the table move 'O' to target field.

**cons\_adm\_commit\_status, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	cons_adm_commit_status		
<b>Code:</b>	cons_adm_commit_status		
<b>Label:</b>			
<b>Domain:</b>			
<b>Type:</b>	char(4)		
<b>Length:</b>	4	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	4

**cons\_adm\_competence\_status, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	cons_adm_competency_status		
<b>Code:</b>	cons_adm_competency_status		
<b>Label:</b>			
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

## cons\_adm\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	cons_adm_date		
<b>Code:</b>	cons_adm_date		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(8)		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

### Description

The month, day, and year which represents the date an individual is admitted to a facility. The date is in Sybase format 'ccyy-mm-dd'.

### Annotation

Data migration note:

Post migration note:

Check to ensure the date is valid.

Reminder:

The admission date must be less than or equal the termination date.

## cons\_area\_pgm\_facility, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	cons_area_pgm_facility		
<b>Code:</b>	cons_area_pgm_facility		
<b>Label:</b>	MANDATORY (Area Programs Only).		
<b>Domain:</b>			
<b>Type:</b>	char (5)		
<b>Length:</b>	5	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	5

### Description

Only used in LME-MCOs. It is the LME-MCO facility code.

### Annotation

Data migration note:

Conversion will take place from a 5 digit input field formerly known as the facility code.

Post migration:

No validation, straight move from input.

## cons\_consumer\_id, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	cons_consumer_id		
<b>Code:</b>	cons_consumer_id		
<b>Label:</b>	DERIVED (Internally Generated).		
<b>Domain:</b>	Identifier		
<b>Type:</b>	dec (9)		
<b>Length:</b>	9	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	9

### Description

Internally generated consumer id used to link all CDW tables together and ensure that there is one consumer record per consumer. A nine character decimal field, no special characters and cannot be null.

### Annotation

Data migration and post migration note:

A new number will be generated internally for each unique client record on the IMS client database.

## cons\_county\_reside, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	cons_county_reside		
<b>Code:</b>	cons_county_reside		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>	County		
<b>Type:</b>	char (3)		
<b>Length:</b>	3	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	3

### Description

The county in which the consumer (or his/her legally responsible persons, if an institutionalized client) resides (or resides prior to institutionalization or incarceration). The legal county of residence may differ from the current address.

### Annotation

Data migration :

N/A this is a new field populate with ' .

Post migration :

If input value is blank, move a 'U' to the target field.

If the input is invalid move 'O' to the target field,

If input validates correctly against the 'county' table, move input to target field.

## cons\_date\_of\_birth, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	cons_date_of_birth		
<b>Code:</b>	cons_date_of_birth		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

### Description

The month, day, and year which represents the date an individual was born. The date is in relational format, yyyy-mm-dd.

### Annotation

Post migration note:

Check to ensure the date is valid.

## cons\_dual\_diagnosis, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	cons_dual_diagnosis		
<b>Code:</b>	cons_dual_diagnosis		
<b>Label:</b>	DERIVED (Internally Generated).		
<b>Domain:</b>			
<b>Type:</b>	char(2)		
<b>Length:</b>	2	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	2

### Description

Client with a diagnosis categorized into more than one disability group.

### Annotation

Data migration note :  
New field initialize to '.

Post migration note :  
Data extracted from user input.

## cons\_error\_code, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	cons_error_code		
<b>Code:</b>	cons_error_code		
<b>Label:</b>	DERIVED (Internally Generated).		
<b>Domain:</b>			
<b>Type:</b>	char(5)		
<b>Length:</b>	5	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	5

### Description

A code, which is determined by internal, CDW processing reflecting problems with building the consumer history row.

### Annotation

Data migration note: not applicable.

Post migration note: To be determined.

**cons\_id\_identifier, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	cons_id_identifier		
<b>Code:</b>	cons_id_identifier		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>	Link		
<b>Type:</b>	char(10)		
<b>Length:</b>	10	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	10

**Description**

CDW link to external data systems, this field can contain:

Unique-Id additional identifying information to link data records  
 SSN,  
 DLN (Drivers License number),  
 Medicaid/CNDS  
 Medicare  
 Client #.

The data is to be encrypted.

**Annotation**

Data migration note :

Client #	no edits,	
DLN	no edits,	
Medicaid #	no edits,	
Medicare #	no edits,	
SSN	9 bytes numeric,	
Unique id	1st three characters of last name	+
	1st character of 1st name	+
	6 character birth date,	+
	id if more than one record.	

Willie M, Thomas S and Client Unique-Id are the same values and only Unique-Id will be defined. In the case of an area program use client record as a search value. In the case of an institution use the client medical record number.

## cons\_id\_last\_update\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	cons_id_last_update_date		
<b>Code:</b>	cons_id_last_update_date		
<b>Label:</b>	DERIVED (internally Generated)		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	0	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	0

### Description

### Annotation

Last date that this record was updated.

## cons\_last\_served\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	cons_last_served_date		
<b>Code:</b>	cons_last_served_date		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

### Description

Enter the date when the consumer was last seen for a service by a provider.

### Annotation

Optional for Admission

Mandatory for Discharge

## cons\_last\_updt\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	cons_last_updt_date		
<b>Code:</b>	cons_last_updt_date		
<b>Label:</b>	DERIVED (Internally Generated).		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	0	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	0

### Description

Last date that this record was updated.

### Annotation

Last date that this record was updated.

## cons\_num\_prior\_adm, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	cons_num_prior_adm		
<b>Code:</b>	cons_num_prior_adm		
<b>Label:</b>	DERIVED (Internally Generated).		
<b>Domain:</b>			
<b>Type:</b>	char(3)		
<b>Length:</b>	3	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	3

### Description

The number of times the client was admitted for observation prior to this visit. This field does not have a validation table.

### Annotation

Data migration note:

Will be calculated based on the admissions in the system.

Post migration note :

This field will be calculated, then updated in the database.

## cons\_patient\_days, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	cons_patient_days		
<b>Code:</b>	cons_patient_days		
<b>Label:</b>	DERIVED (Institutions Only).		
<b>Domain:</b>			
<b>Type:</b>	char(5)		
<b>Length:</b>	5	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	5

### Description

The number of days a patient was in an institution not including leave days. This is derived only for an institution client. Mandatory for institutions.

### Annotation

Data migration :

Will be set to zeros for area programs in data migration. Else use the formula below.

Post migration:

The derivation for that field is as follows:

Patient days = Current date - Admission date - SUM(LOA end date - LOA start date).

**cons\_respon\_county, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	cons_respon_county		
<b>Code:</b>	cons_respon_county		
<b>Label:</b>	REQUIRED (Institutions Only).		
<b>Domain:</b>	County		
<b>Type:</b>	char(3)		
<b>Length:</b>	3	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	3

**Description**

County which is financially responsible for consumer. May be different than the county of residence. This is a new field. See 'Validation county codes table for further info.

**Annotation**

Data migration :

N/A this is a new field populate with ' .

Post migration :

If input value is blank, move a 'U' to the target field.

If the input is invalid move 'O' to the target field,

If input validates correctly against the 'county ' table, move input to target field.

**cons\_scr\_date, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	cons_scr_date		
<b>Code:</b>	cons_scr_date		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(8)		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

**Description DISCONTINUED**

The date the client was screened for possible MH/DD/SS services. The date is in relational format, yyyy-mm-dd. This field is on the screening record and the screening record was discontinued on 7/1/2015.

**Annotation**

## cons\_status\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	cons_status_date		
<b>Code:</b>	cons_status_date		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

### Description

The date the status was applied to the client. This would be the Discharge Date for discharged/terminated clients etc. The date is in relational format, yyyy-mm-dd. This is a new field for CDW. Changes automatically when the status is defaulted.

### Annotation

Data migration :

Field is derived based on the current 'CONSUMER STATUS' setting. It is the date in the FA or FB segment.

Post migration :

Must be a valid date and be within the guidelines of the 'CONSUMER STATUS' field. If status is active, date will be admission date, etc.

**consv\_status, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	consv_status		
<b>Code:</b>	consv_status		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

**Description**

The disposition of the client. This field is derived at admission and discharge/termination.

**Annotation**

Data migration:

IMS	CDW
-----	-----
a=active, default at admission,	a,
t=discharged/terminated,	t,
i=inactive(a/p's only),	i,
n=denied inst only,	n,
x=canceled,	x,
(insts only, when admission is cancelled)	
r=resident (institutions),	a,
l,o=on leave or out of building,	a.

New for CDW is the deleted admissions record, d

Post migration:

If input validates correctly against the 'status' table, move input to target field.  
ELSE reject the record.

**county\_code, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	county_code		
<b>Code:</b>	county_code		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>	County		
<b>Type:</b>	char(3)		
<b>Length:</b>	3	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	3

**Description**

Valid county codes for the state of North Carolina.

County of residence:

UUU= Unknown  
 OOS= Out of state.  
 001= Alamance  
 002= Alexander  
 003= Alleghany  
 004= Anson  
 005= Ashe  
 006= Avery  
 007= Beaufort  
 008= Bertie  
 009= Bladen  
 010= Brunswick  
 011= Buncombe  
 012= Burke  
 013= Cabarrus  
 014= Caldwell  
 015= Camden  
 016= Carteret  
 017= Caswell  
 018= Catawba  
 019= Chatham  
 020= Cherokee  
 021= Chowan  
 022= Clay  
 023= Cleveland  
 024= Columbus  
 025= Craven  
 026= Cumberland  
 027= Currituck  
 028= Dare  
 029= Davidson  
 030= Davie  
 031= Duplin  
 032= Durham  
 033= Edgecombe  
 034= Forsyth  
 035= Franklin

036= Gaston  
037= Gates  
038= Graham  
039= Granville  
040= Greene  
041= Guilford  
042= Halifax  
043= Harnett  
044= Haywood  
045= Henderson  
046= Hertford  
047= Hoke  
048= Hyde  
049= Iredell  
050= Jackson  
051= Johnston  
052= Jones  
053= Lee  
054= Lenoir  
055= Lincoln  
056= McDowell  
057= Macon  
058= Madison  
059= Martin  
060= Mecklenburg  
061= Mitchell  
062= Montgomery  
063= Moore  
064= Nash  
065= New Hanover  
066= Northampton  
067= Onslow  
068= Orange  
069= Pamlico  
070= Pasquotank  
071= Pender  
072= Perquimans  
073= Person  
074= Pitt  
075= Polk  
076= Randolph  
077= Richmond  
078= Robeson  
079= Rockingham  
080= Rowan  
081= Rutherford  
082= Sampson  
083= Scotland  
084= Stanly  
085= Stokes  
086= Surry  
087= Swain  
088= Transylvania  
089= Tyrrell  
090= Union

091= Vance  
092= Wake  
093= Warren  
094= Washington  
095= Watauga  
096= Wayne  
097= Wilkes  
098= Wilson  
099= Yadkin  
000= Yancey

### **Annotation**

Data migration :

State value is unavailable from the current system. Validate the source field against the 'state table' . If valid move the county to the target field and 'NC' to state field. If ' ' move 'UU' to county target field and ' ' to state target field else move OS to county field and ' ' to state field.

Post migration:

Validate the input against the 'county code ' table. If input county is non-numeric and not blank, move in O/S.

**court\_order\_type, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	court_order_type		
<b>Code:</b>	court_order_type		
<b>Label:</b>	OPTIONAL (Area Programs Only).		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

**Description (DISCONTINUE)**

Designation of legal procedures which have been applied to a client and are in effect during the LOE assessment process. Mandatory for area programs.

CDW

7=Assessment evaluation,

8=Evaluation and treatment,

9=Treatment

0=None

**Annotation**

Data migration:

A/P

5=Assessment and evaluation,

6=Evaluation and treatment,

7=Treatment,

9=None

Post migration:

Verify the input against the 'court order type table'.

If not in the table reject record

else move input to target field.

If an institution then move an '\*' to the target field.

## diag\_end\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	diag_end_date		
<b>Code:</b>	diag_end_date		
<b>Label:</b>	OPTIONAL		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

### Description

The date a facility has determined the diagnosis no longer pertains to the client. The date is in relational format, yyyy-mm-dd. Will default when an institution or area program terminates the client.

### Annotation

Data migration :  
Set field to blank or if available use termination date.

Post migration :  
Update the target field with the termination date. Make sure date is valid.

## diag\_last\_update\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	diag_last_update_date		
<b>Code:</b>	diag_last_update_date		
<b>Label:</b>	DERIVED (Internally Generated).		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

### Description

Last date that this record was updated.

### Annotation

Last date that this record was updated.

## diag\_start\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	diag_start_date		
<b>Code:</b>	diag_start_date		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

### Description

The date an individual is formally admitted to an area program for treatment of the specified diagnosis code described in this document or is assessed with this diagnosis. The date is in relational format, yyyy-mm-dd.

### Annotation

Data and post migration :  
Must be a valid date.

## diagv\_axis\_code, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	diagv_axis_code		
<b>Code:</b>	diagv_axis_code		
<b>Label:</b>	OPTIONAL (Area Program Only).		
<b>Domain:</b>	Type		
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

### Description (DISCONTINUE)

Axis codes refer to different classes of information as defined by DSM or ICD, including clinical syndromes, developmental and personality disorders, and physical disorders and conditions. Axis 1-3 are common diagnosis values and 4 is problem classifications.

Axis I = 1,  
 Axis II = 2,  
 Axis III = 3,  
 Axis IV = 4.

This is a one character alphanumeric field, no special characters allowed.

Diagnosis/axis specs for institution/CDW diagnosis crosswalk:

When we get diagnoses from the HEARTS system, this is how to generate an axis code and determine their group.

1. Any code in-group 1 is Axis 1 and DSM
2. Any code in-group 2 is Axis 2 and DSM
3. Codes in-group 3 are exception codes (there are about 10 of them) - each individual code has a special rule. TBD by user).
4. Codes in-group 4 are outside the DSM4 range - THESE MAY BE OBSOLETE, TBD
5. All other codes are Axis 3 - ICD9 codes.

### Annotation

Data migration :

If the axis is blank, indicating old data, set the axis indicator to 1.

If the axis code is 1,2,3 move source code to target.

If the axis is 4 or 5 then don't write a CDW diagnosis record.

Post migration :

If axis code is not in the 'axis code' table reject record,  
 else move valid value to target.

Institutions:

Based on diagnosis code,

if code w/i set 1 then axis I,

if code w/i set 2 then axis II,

if code w/i set 3 then axis III,

if code w/i set 4 then axis I or II.

## diagv\_class, column

CDW_DICTIONARY			
<b>Name:</b> diagv_class			
<b>Code:</b> diagv_class			
<b>Label:</b> MANDATORY			
<b>Domain:</b> Type			
<b>Type:</b> char(1)			
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
<b>Average Length:</b>			1

### Description

Designation of the type of diagnosis i.e. Listed in order of importance : 1-9, A-Z

This is a 1-character alphanumeric field with no special characters allowed.

CDW

1 = Principal Diagnosis

2-9, A-Z = All other diagnoses

### Annotation

Valid codes for Diagnosis Class (diagv\_class) will continue to include:

1=Principal Diagnosis

All other diagnoses would get the next incremental number 2 through 9, followed by A through Z thereafter.

*For example, if an individual had a total of 12 diagnoses, the principal diagnosis would have a diagnosis class of 1; the additional 11 diagnoses would be classed as 2,3,4,5,6,7,8,9,A,B, and C.*

Principal Diagnosis for CDW reporting is defined in accordance with the *Diagnostic and Statistical Manual of Mental Disorder, Fifth Edition (DSM-IV)* as follows:

*“When more than one diagnosis for an individual is given in an inpatient setting, the principal diagnosis is the condition established after study to be chiefly responsible for occasioning the admission of the individual. When more than one diagnosis for an individual is given in an outpatient setting, the reason for the visit is the condition that is chiefly responsible for the ambulatory care medical services received during the visit. In most cases, the principal diagnosis or the reason for the visit is also the main focus of attention or treatment.”*

## diagv\_code\_num, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	diagv_code_num		
<b>Code:</b>	diagv_code_num		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(7)		
<b>Length:</b>	7	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	5

## Description

The code used to reflect the client's diagnosis. The code standard for CDW is the International Classification of Diseases. It is alphanumeric and cannot contain special characters. The code is used for both LME-MCOs and institutions.

Effective 07/01/2004 the coding scheme changed from DMS-IV to ICD-9 for LME-MCO clients. ICD-9 has been in use at the institutions for some time.

NOTE: Effective 10/01/2015 all diagnostic codes submitted to CDW will need to be in the ICD-10 format and must begin with an alpha character.

**diagv\_dsm\_group, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	diagv_dsm_group		
<b>Code:</b>	diagv_dsm_group		
<b>Label:</b>	MANDATORY DERIVED		
<b>Domain:</b>			
<b>Type:</b>	char(2)		
<b>Length:</b>	2	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	2

**Description**

This field is derived from grouping diagnoses together by code range. Use of ICD-9 codes will end on 09/30/2015, All diagnoses on or after 10/01/2015 should be ICD-10.

**Internal Use only.**

<b>ICD-9 Diagnostic Grouping</b>	<b>ICD-9 Code(s)</b>
1. Mental Retardation	317-319
2. Attention deficit	314
3. Conduct	312.0-312.2, 312.4-312.9
4. Autism & pervasive dev. disorder	299
5. Specific development	315 (except 315.4)
6. Other childhood disorder	307.0, 307.2-307.3, 307.6-307.7, 313
7. Eating & sleeping disorders	307.1, 307.4, 307.5
8. Medication induced disorders	New Category in DSM-IV
9. Primary degenerative dementia	290 (except 290.4)
10. Vascular dementia	290.4
11. Substance abuse (drugs)	292, 304, 305 (except 305.0)
12. Alcohol abuse	303.9, 305.0
13. Alcohol related organic mental disorders	291, 303.0
14. Oth mental disor due to general med cond	293, 294, 310
15. Schizophrenic	295 (except 295.4 and 295.7)
16. Schizophreniform	295.4
17. Schizoaffective	295.7
18. Delusional	297
19. Other psychotic	298
20. Bipolar	296.0, 296.1, 296.4-296.81, 296.89, 296.99, 301.11
21. Major depressive	296.2, 296.3, 296.82, 296.90, 298.0
22. Dysthymia	300.4
23. Anxiety (children and adults)	300.0-300.02, 300.2, 300.3, 308.0, 308.2-308.9, 309.81

---

<b>ICD-9 Diagnostic Grouping</b>	<b>ICD-9 Code(s)</b>
24. Somatoform/ Factitious	300.11, 300.16, 300.19, 300.5, 300.7, 300.8, 307.4
25. Dissociative	300.10, 300.12-300.15, 300.6, 308.1
26. Sexual	302, 306.51
27. Personality & other impulses	301 (except 301.11, and 301.13), 312.3
28. Adjustment	309, (except 309.21, 309.81 and 309.82)
29. Other nonpsychotic mental disorders	300.89, 300.9, 306 (except 306.51), 309.82, 311, 316
30. Other problems that are not mental disorders "V" codes (except V71.09)	
31. No mental disorder	V71.09
32. Diagnosis deferred	799.9

## diagv\_dsm\_group\_ver, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	diagv_dsm_group_ver		
<b>Code:</b>	diagv_dsm_group_ver		
<b>Label:</b>	DERIVED (Internally Generated).		
<b>Domain:</b>			
<b>Type:</b>	char(6)		
<b>Length:</b>	6	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	6

### Description

Reflects the version code set used to group the diagnoses

### Annotation

Data migration note:

Versions available from the old IMS database are, DSM2, DSM3, DSM3R, DSM4.

Post migration note:

Versions available in the current CDW are ICD-9 and ICD-10 based on effective date of diagnosis.

Diagnoses with effective dates prior to 10/01/2015 are ICD-9. Diagnoses with effective dates on or after 10/01/2015 are ICD-10.

## diagv\_ver\_axis, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	diagv_ver_axis		
<b>Code:</b>	diagv_ver_axis		
<b>Label:</b>			
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

### Description (DISCONTINUE)

See Diagnosis axis code table for information.

### Annotation

See Diagnosis axis code table for information.

## diagv\_ver\_end\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	diagv_ver_end_date		
<b>Code:</b>	diagv_ver_end_date		
<b>Label:</b>	DERIVED (Internally Generated).		
<b>Domain:</b>			
<b>Type:</b>	datetime		
<b>Length:</b>	0	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	0

### Description

DSMIV – YYYYMMDD – 20040630

ICD-9 -YYYYMMDD – 20150930

ICD10 – YYYYMMDD - Future date

### Annotation

Data migration note: If the client status is 'A' for active and the discharge date is greater than Jan 1, 1997 or the admission date is greater than Jan 1, 1997, than use the DSM4 codes to determine diagnostic groupings. Else move the diagnostic code from the diagnostic segment and move a blank to the diagnostic group field.

Post migration note: To be determined.

## diagv\_ver\_start\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	diagv_ver_start_date		
<b>Code:</b>	diagv_ver_start_date		
<b>Label:</b>	DERIVED (Internally Generated).l		
<b>Domain:</b>			
<b>Type:</b>	datetime		
<b>Length:</b>	0	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	0

### Description

DSMIV – YYYYMMDD – 19970101

ICD-9 -YYYYMMDD – 20040701

ICD10 – YYYYMMDD – 20151001

### Annotation

Data migration note: If the client status is 'A' for active and the discharge date is greater than Jan 1, 1997 or the admission date is greater than Jan 1, 1997, than use the DSM4 codes to determine diagnostic groupings. Else move the diagnostic code from the diagnostic segment and move a blank to the diagnostic group field.

Post migration note: To be determined.

## disa\_end\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	disa_end_date		
<b>Code:</b>	disa_end_date		
<b>Label:</b>	OPTIONAL (Area Programs Only).		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

### Description (DISCONTINUE)

The month, day, and year that a client ends treatment for the disability. The date is in relational format, yyyy-mm-dd.

### Annotation

Data migration note:  
Move FBDISCH date to the target field.

Post migration note:  
Ensure a valid date is provided.

**disa\_fa\_date\_1, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	disa_fa_date_1		
<b>Code:</b>	disa_fa_date_1		
<b>Label:</b>	MANDATORY if record is sent (Area Programs Only).		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

**Description (DISCONTINUE)**

The month, day, and year that a client took the functional assessment test. The date is in relational format, yyyy-mm-dd

**Annotation**

Data migration :  
Move LOE date from the IMS database. If none exists move in blanks.

Post migration:  
Must be a valid date.  
All three 'functional assessment' fields must be submitted on the input.

## disa\_fa\_date\_2, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	disa_fa_date_2		
<b>Code:</b>	disa_fa_date_2		
<b>Label:</b>			
<b>Domain:</b>			
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

### Description (DISCONTINUE)

The month, day, and year that a client took the functional assessment test. The date is in relational format, yyyy-mm-dd

### Annotation

Data migration :

Move LOE date from the IMS database. If none exists move in blanks.

Post migration:

Must be a valid date.

All three 'functional assessment' fields must be submitted on the input.

**disa\_fa\_score\_1, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	disa_fa_score_1		
<b>Code:</b>	disa_fa_score_1		
<b>Label:</b>	MANDATORY if record is sent (Area Programs Only).		
<b>Domain:</b>			
<b>Type:</b>	integer		
<b>Length:</b>	3	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	3

**Description (DISCONTINUE)**

Three digit score as entered by the attending clinician. This is a raw score attained following the assessment conducted for a client. Score ranges vary depending upon the instrument.

Valid NCFAS scores are 000-180,

Valid ESI scores are 000-007,

Valid GAF scores are 000-100.

Valid NCSNAP scores as reported to the CDW are 111-555 (this score is based on reporting the score from each domain (Daily Living, Health Care and Behavioral) Valid scores are any combination of three numbers of 1-5. Examples: 123, 555, 234, 413, 232

Note: ' ' is a valid score meaning 'no score submitted'.

**Annotation**

Data migration :

Move field as is from input.

Post migration :

All three 'functional assessment' fields must be submitted on the input.

On diagnosis record, if axis 5, put value in diagnosis code in this field.

**disa\_fa\_score\_2, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	disa_fa_score_2		
<b>Code:</b>	disa_fa_score_2		
<b>Label:</b>			
<b>Domain:</b>			
<b>Type:</b>	integer		
<b>Length:</b>	3	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	3

**Description (DISCONTINUE)**

Three digit score as entered by the attending clinician. This is a raw score attained following the assessment conducted for a client. Score ranges vary depending upon the instrument.

Valid NCFAS scores are 000-180,

Valid ESI scores are 000-007,

Valid GAF scores are 000-100.

Valid NCSNAP scores as reported to the CDW are 111-555 (this score is based on reporting the score from each domain (Daily Living, Health Care and Behavioral) Valid scores are any combination of three numbers of 1-5.

Examples: 123, 555, 234, 413, 232

Note: ' ' is a valid score meaning 'no score submitted'.

**Annotation**

Data migration :

Move field as is from input.

Post migration :

All three 'functional assessment' fields must be submitted on the input.

On diagnosis record, if axis 5, put value in diagnosis code in this field.

## disa\_last\_updt\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	disa_last_updt_date		
<b>Code:</b>	disa_last_updt_date		
<b>Label:</b>	DERIVED (Area Programs Only).		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

### Description

Last date that this record was updated.

### Annotation

Last date that this record was updated.

## disa\_start\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	disa_start_date		
<b>Code:</b>	disa_start_date		
<b>Label:</b>	MANDATORY if record is sent (Area Programs Only).		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

### Description (DISCONTINUE)

The month, day, and year that a client starts treatment for the disability. The date is in relational format, yyyy-mm-dd

### Annotation

Data migration :  
Move the LOE date to the target.

Post migration :  
Require a valid date.

**disav\_class, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	disav_class		
<b>Code:</b>	disav_class		
<b>Label:</b>	MANDATORY if record is sent (Area Programs Only).		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

**Description (DISCONTINUE)**

Area programs only. A consumers problem areas designated as main and other.

The codes are as follows:

P=primary,  
A=additional.

**Annotation**

Data migration :

If primary disability, set target to 'P' ,

If other disability 1, set target to 'A',

If other disability 2, set target to 'A'.

else reject the input record.

Post migration :

If neither an 'P' nor an 'A' type, reject the input record,

else move to the target field.

**disav\_code, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	disav_code		
<b>Code:</b>	disav_code		
<b>Label:</b>	MANDATORY if record is sent (Area Programs Only).		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

**Description (DISCONTINUE)**

Area programs only. A one digit disability group which represents the clients problem area.

1=Mental health,  
 2=Substance abuse,  
 3=Developmental disability,  
 4=Funded MR/MI

**Annotation**

Data migration note :  
 Process a code of blank as U, unknown.

Post migration :  
 If the input value cannot validate in the 'disability codes' table reject the record,  
 else move the input record to the target.

**disav\_fa\_scale, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	disav_fa_scale		
<b>Code:</b>	disav_fa_scale		
<b>Label:</b>	MANDATORY if record is sent (Area Programs Only).		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

**Description (DISCONTINUE)**

The instrument with which the client was tested.

1=CAFAS (child),

2=NCFAS (adult),

3=GAF

4=ESI-R

5=NC-SNAP

6=ASAM

9=Not applicable.

This is a new field.

**Annotation**

Note:

CAFAS is only used for Mental Health and Substance Abuse Children.

IF LEAGE=1 AND LEPRIMDIS=1 OR LEPRIMDIS=2

NCFAS is only used for Mental Health and Substance Abuse Adults.

IF LEAGE=2 AND LEPRIMDIS=1 OR LEPRIMDIS=2

ESR-I is only used for Developmentally Disabled Adults.

IF LEAGE=2 AND LEPRIMDIS=3

NC-SNAP is used for Developmentally Disabled Adults, Developmentally Disabled Children age 3-18, Developmentally Disabled Children 0-3 if waiting for or is a CAP/MR-DD Waiver recipient, and for Adults with Mental Retardation and Mental Illness (MR/MI)

NCFAS may also be used for MR/MI Adults in addition to the NC-SNAP

ASAM may be used for Adolescent and Adult Substance Abuse Clients. The Patient Placement Criteria for the Treatment of Substance-Related Disorders of the American Society of Addiction Medicine (ASAM PPC) (Adult Criteria) and Adolescent Criteria) establishes levels of services for substance abuse patients ranging from early intervention to outpatient services to medically-managed intensive care. Each level of care or service describes a range of resources available to be applied within a given period of time to addiction and related problems.

Post migration :

All three 'functional assessment' fields must be submitted on the input.

On diagnosis record, if axis 5 put 3 in this field. in functional assessment date put the diagnosis date , for axis 5.

## disav\_loe, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	disav_loe		
<b>Code:</b>	disav_loe		
<b>Label:</b>	MANDATORY if record is sent (Area Programs Only).		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

### Description (DISCONTINUE)

A classification scheme used to distinguish clients on a basis of comparative degrees of disability. Also known as level of eligibility impairment. This field is for area programs only and is captured for every disability.

Note a value of 5 is only valid if the NC-SNAP assessment tool was used.

### Annotation

Data migration:

LOE values:

1= level I (severe),  
 2= level II (moderate),  
 3= level III (mild),  
 4= level IV (at risk),  
 9= no impairment,  
 'U'= unknown.

NC-SNAP values:

1  
 2  
 3  
 4  
 5

ASAM values:

H= Level 0.5 Early Intervention

1= Level I Outpatient Services

2= Level II Intensive Outpatient/Partial Hospitalization Services

3= Level III Residential/Inpatient Services

4= Level IV Medically-Managed Intensive Inpatient Services

Post migration:

If the input data does not validate in the 'level of eligibility' table then reject the record.

## dischv\_reason, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	dischv_reason		
<b>Code:</b>	dischv_reason		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char (1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

## Description

The reason the client was discharged from the facility.

The reason codes are as follows: Mandatory if 'CONSUMER STATUS' = 'T'.

Area Programs:

- 1=death
- 2=eval complete
- 3=treatment comp
- 4=client not avail (moved, hospitalization, illness, etc.)
- 5=refused treatment (left against professional advice, dropped out, etc.)
- 6=no show
- 7=service not available
- 8=other
- 9=unknown

HEARTS (Institutions Only)

- AA=Against Medical Advice Discharge (AMA)
- AM=Death with Autopsy-Medical Examiner
- BP=Behavior Problem Discharge
- DA=Direct with Approval
- DC=Direct by Court Order
- DE=Death without Autopsy
- DI=Direct Discharge to Inpatient Commitment
- DL=Death While on Leave or Visiting Patient
- DM=Direct Discharge to Medical Visit
- DO=Direct to Outpatient Commitment
- DS=Direct to Substance Abuse Commitment
- DV=Direct Discharge of Visiting Patient
- DW=Death with Autopsy
- IA=Indirect to Substance Abuse Commitment
- IC=Transfer to Intermediate Care Facility (ICF) Bed Inhouse
- ID=Indirect Discharge from Medical Visit (Dix only)
- IL=Indirect Discharge from Leave
- IM=Transfer to Intermediate Care Facility/Mental Retardation (ICF/MR) Bed in House
- IO=Indirect to Outpatient Commitment
- IS=Indirect Split Commitment
- IT=Internal Transfer – To Med/Surg Bed
- IV=Indirect Discharge of Visiting Patient
- PC=Program Completion (Client has completed Assigned Program) ADATC only
- PD=Psychiatric Observation
- PS=Transfer to Psychiatric Bed In-house

SN=Transfer to Skilled Nursing Facility (SNF) Bed In house  
SO=72 Hour request for Discharge (Client has decided to leave) ADATCs only  
ST=Staffed Out (Client staffed out for other than behavioral/discipline reasons)  
TX=Permanent Transfer Out to Other State Facility  
VP=Visiting Patient Out to Sending Facility  
WM=Death without Autopsy – Medical Examiner

## **Annotation**

Data migration :

If discharged,

If input validates correctly against the 'discharge reason' table, move input to target field. Else reject the input record.

If not a discharge move an ' to the target. Data not available from the IMS system for institutions.

Post migration :

Validate against table.

Hearts will require a crosswalk to be added later.

## dischv\_ref\_src, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	dischv_ref_src		
<b>Code:</b>	dischv_ref_src		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(2)		
<b>Length:</b>	2	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	2

### Description

The person or agency to which the client was referred at discharge.  
Same as 'Consumer admission referral source' . Mandatory if 'CONSUMER STATUS' = 'T'.

### Annotation

Data migration :  
Same as 'Consumer admission referral source' .

Post migration :  
Same as 'Consumer admission referral source' .

**eap\_code, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	eap_code		
<b>Code:</b>	eap_code		
<b>Label:</b>	OPTIONAL (Area Programs Only).		
<b>Domain:</b>			
<b>Type:</b>	char(3)		
<b>Length:</b>	3	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	3

**Description (DISCONTINUE)**

Designation of a client referral by the Employee Assistance Program. Values 000 through 999, any combination of letters and numbers. This field is unique to each area program Area program use only.

000=N/A

001-999=EAP codes

UUU=Unknown.

**Annotation**

Data migration note :

Move value as is from area program, move in ' for institutions.

Post migration note :

No validation, move value as is specified in the input.

## education\_level, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	education_level		
<b>Code:</b>	education_level		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(2)		
<b>Length:</b>	2	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	2

## Description

Represents the highest grade/degree completed by the client at the time of admission.

### Education Level

#### CDW

00=	None, never attended school
01=	First grade
02=	Second grade
03=	Third grade
04=	Fourth grade
05=	Fifth grade
06=	Sixth grade
07=	Seventh grade
08=	Eight grade
09=	Ninth grade
10=	Tenth grade
11=	Eleventh grade
12=	Twelfth grade/high school graduate
14=	Some college
16=	Baccalaureate degree
17=	Post graduate school
18=	Post bachelor's degree
20=	GED
30=	Kindergarten
35=	Associate degree
50=	School for special skills
80=	Technical trade school
81=	Ungraded
82=	Special education
99=	Unknown.

## Annotation

Data migration and post migration :

If the input value contains blanks then set the target to 'U's,

If the input value is invalid then set the target field to 'O's,

Else move the valid setting to the target field.

## employment\_status, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	employment_status		
<b>Code:</b>	employment_status		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(2)		
<b>Length:</b>	2	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	2

### Description

A code used to identify the client's status of employment, either temporary or permanent, at the time of admission or discharge to an institution or area program.

00=Unemployed,  
01=Employed full time,  
02=Employed part time,  
03=Not in work force, student,  
04=Not in work force, retired,  
05=Not in work force, homemaker,  
06=Not in work force, not available for work,  
07=Armed Forces/National Guard,  
08=Seasonal/Migrant worker,  
09=Unknown.

### Annotation

Data migration and post migration :  
If the input value contains blanks then set the target to 'U's,  
If the input value is invalid then set the target field to 'O's,  
Else move the valid setting to the target field.

## english\_proficiency, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	english_proficiency		
<b>Code:</b>	english_proficiency		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

### Description

English spoken and understood at a relatively high level of proficiency, e.g. no interpreter is required.

The values for this field are :

N=No,

Y=Yes.

### Annotation

New data item on screening record. Effective 10/1/08.

## ethnicity, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	ethnicity		
<b>Code:</b>	ethnicity		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(2)		
<b>Length:</b>	2	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	2

## Description

Identify the client's ethnic origin.

The values are as follows:

- M= Hispanic, Mexican American,
- P= Hispanic, Puerto Rican,
- C= Hispanic, Cuban
- H= Hispanic, Other
- N= Not Hispanic Origin
- U= Unknown.

Conforms to the MHSIP, Mental Health Statistics Improvement Program.

## Annotation

Data migration and post migration :

If the input value contains blanks then set the target to 'U's,

If the input value is invalid then set the target field to 'O's,

Else move the valid setting to the target field.

No data migration for area programs, data in current system.

**family\_income, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	family_annual income		
<b>Code:</b>	family_annual income		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	Char(8)		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	6

**Description (Non-Medicaid only)**

The value of annual family income (measured in dollars) as determined by the LME for the purpose of fee determination. If the LME collects weekly income multiply by 52 or if the LME collects monthly income multiply by 12. **It should be noted that at least 90% of demographic records must contain a value other than unknown and will be monitored through the Performance Contract.**

00000001-99999999 = income

00000000 = none

U = unknown

This field may be left blank if consumer has Medicaid eligibility.

**Annotation** New data field effective 05/01/08. This data field was added to respond to a NC Legislative requirement for collecting data related to income. HB 1473, Section 10.49(ff) contains the following wording: Lines 48-49: "LMEs shall also gather income data for all individuals receiving services."

All Non-Medicaid clients who are admitted 05/01/08 or after must have this mandatory field on the record type (11) submission. For Non-Medicaid clients on 05/01/08 who have an admission date prior to 05/01/08, income information must be submitted using record type (31) by 06/30/08. Medicaid status will be determined by the submission of the Medicaid ID on the identifying record (10).

**family\_size, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	family_size		
<b>Code:</b>	family_size		
<b>Label:</b>	MANDATORY.		
<b>Domain:</b>			
<b>Type:</b>	Char(2)		
<b>Length:</b>	2	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

**Description (Non-Medicaid only)**

Number of persons living in the family (including consumer) as determined by the LME for the purpose of fee determination. **It should be noted that at least 90% of demographic records must contain a value other than unknown and will be monitored through the Performance Contract.**

01-99 = family size

U = unknown

This field may be left blank if consumer has Medicaid eligibility.

**Annotation** New data field effective 05/01/08. This data field was added to respond to a NC Legislative requirement for collecting data related to income. HB 1473, Section 10.49(ff) contains the following wording: Lines 48-49: "LMEs shall also gather income data for all individuals receiving services."

All clients who are admitted 05/01/08 or after must have this mandatory field on the record type (11) submission. For active clients on 05/01/08 who have an admission date prior to 05/01/08, income information must be submitted using record type (31) by 06/30/08. Medicaid status will be determined by the submission of the Medicaid ID on the identifying record (10).

## federal\_service\_type, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	federal_service_type		
<b>Code:</b>	federal_service_type		
<b>Label:</b>	MANDATORY (Area Programs Only).		
<b>Domain:</b>			
<b>Type:</b>	char(2)		
<b>Length:</b>	2	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	2

### Description

Specific Substance Abuse and Mental Health Services Administration, (SAMHSA), service code representing the type of service the client received. Field applies to area programs only.

#### Federal Service Codes (LME/Area Programs)

10 = Detoxification, 24 Hour Service, Hospital Inpatient. 24 hour per day medical acute care services for detoxification for persons with severe medical complications associated with withdrawal.

20 = Detoxification, 24 Hour Service, Free Standing Residential. 24 hour per day services in non-hospital setting providing for safe withdrawal and transition to ongoing treatment.

30 = Rehabilitation/Residential – Hospital (other than detoxification). 24 hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other drug abuse and dependency.

40 = Rehabilitation/Residential-Short Term (30 days or fewer). Typically 30 days or less of non-acute care in a setting with rehabilitation/residential services for alcohol and other drug abuse and dependency.

41 = Residential Only-Short Term (30 days or fewer). Typically 30 days or less of non-acute care in a setting with only residential treatment services for alcohol and other drug abuse and dependency.

50 = Rehabilitation/Residential – Long Term (more than 30 days). Typically more than 30 days of non-acute care in a setting with rehabilitation/residential services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses.

51 = Residential Only– Long Term (more than 30 days). Typically more than 30 days of non-acute care in a setting with only residential treatment services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses.

60 = Ambulatory-Intensive Outpatient. As a minimum the client must receive treatment lasting two or more hours per days three or more days per week.

70 = Ambulatory-Non-Intensive Outpatient. Ambulatory treatment services including individual, family and or group services; these may include pharmacological therapies.

80 = Ambulatory-Detoxification. Outpatient treatment services providing for safe withdrawal in an ambulatory setting (pharmacological or non-pharmacological).

### Annotation

Data and post migration :

If this field does not validate against the 'federal service type' table reject the record, else move the input to the target.

## gender, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	gender		
<b>Code:</b>	gender		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

## Description

Identifies the sex of the client.

The settings are as follows:

M=Male,  
F=Female,  
U=Unknown.

## Annotation

Data and post migration note :

If input value is blank, move a 'U' to the target field.

If the input is invalid move 'O' to the target field,

If input validates correctly against the 'gender' table, move input to target field.

## health\_med\_ins, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	health_med_ins		
<b>Code:</b>	health_med_ins		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

### Description

Primary health or medical insurance of the consumer.

1=Private Insurance/health plan  
2=Medicaid  
3=Medicare  
4=Health Choice  
5=TRICARE  
6=CHAMPVA  
7=Other Insurance  
8=None  
9=Unknown

### Annotation

New Data item on Demographic Record. Effective 10/01/08.

## identifier\_type, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	identifier_type		
<b>Code:</b>	identifier_type		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>	Type		
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

## Description

Identifies the type of identifier in record associated with consumer. Use maiden name when constructing unique identifier for females.

Note: It is an alphanumeric field and is part of the composite key to access data in the CDW.

The current settings are as follows:

A= Area Program client or case number,  
(Area Programs Only),

C=CP/MI#, (Institutions Only),

D=Drivers License,

I=Institution Medical Record Number  
(Client Record Number), check across institutions,

M=Medicaid,

R=Medicare,

S=SSN,

U=Unique-Id.

## Annotation

Data and post migration note:

SSN, Medicare, Medicaid and drivers license # are awaiting A/G approval.

## institution\_code, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	institution_code		
<b>Code:</b>	institution_code		
<b>Label:</b>	MANDATORY (Institutions Only).		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

## Description

Statistical reporting code assigned by the division for identifying the state facility serving a client. The field is 1 character in length and is alphanumeric. The following is a description of the codes:

Psychiatric hospital, codes

- 1=Cherry,
- 2=Broughton,
- 3=Dorothea Dix,
- 3=Central Region psychiatric Hospital.

Developmental Centers, codes

- 4=Murdoch Developmental Center,
- 6=Caswell Developmental Center,
- 7=J. Iverson Riddle Developmental Center.

Alcohol and drug abuse treatment center, codes

- 0=R.J. Blackley ADATC,
- H=Julian F. Keith ADATC,
- Q=Walter B. Jones ADATC.

Neuro-Medical treatment centers, codes

- E=Black Mountain Neuro-Medical Center,
- 5=O' Berry Neuro-Medical Center,
- 9=Longleaf Neuro-Medical Center.

Residential programs for children, codes

- B=Whitaker School,
- W=Wright School.

## Annotation

These codes will be effective with the opening of the new Central Region Hospital

## legal\_charge\_code, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	legal_charge_code		
<b>Code:</b>	legal_charge_code		
<b>Label:</b>	MANDATORY (Institutions Only)		
<b>Domain:</b>			
<b>Type:</b>	char(8)		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

### Description

Category of any legal charges pending against a client.

### Annotation

Data Migration Note:

New field, initialize with a blank.

Post Migration Note:

CDW

Code	Description
-----	-----
ASSAULT	Assault,
INJURY	Injury to others,
RAPE	Rape,
MURDER	Murder,
OTHER	Other.

## legal\_status, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	legal_status		
<b>Code:</b>	legal_status		
<b>Label:</b>	MANDATORY (Institution Only).		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

## Description

Describes any special legal conditions/restrictions applicable to a client. Legal status is applicable in Psychiatric Hospitals, Alcohol and Drug Abuse Treatment Centers and Whitaker School only. This field applies to institutions only.

Legal Status: INSTITUTION

- 0= No known legal status,
- 2= Detainer, other,
- 3= House Bill 95 with detainer,
- 4= Dept of Correction inmate,
- 5= Driving while impaired, (DWI), court ordered,
- 6= Probation, parole,
- 7= Not guilty reason of insanity, (NGRI),
- 8= Detainer, not capable to proceed,
- 9= Pending charges,
- N= No legal status.

## Annotation

Data migration and post migration :

Move an ' ' for area programs and institutions which are not applicable.

If input value is blank, move a 'N' to the target field.

If the input is invalid move '0' to the target field,

If input validates correctly against the 'legal status table', move input to target field.

**legally\_resp\_person, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	legally_resp_person		
<b>Code:</b>	legally_resp_person		
<b>Label:</b>	OPTIONAL		
<b>Domain:</b>			
<b>Type:</b>	char (1)		
<b>Length:</b>	2	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

**Description (DISCONTINUE)**

Person legally, financially responsible for the client. This is a new field.

S=self,  
P=parent,  
G=grandparent,  
R=other relative,  
A=area program,  
D=DSS/other agency,  
O=other,  
U=unknown.

**Annotation**

Data migration note :  
Data not available from the current IMS system. Data will not be converted.

Post migration note :  
If input is blank, move 'U' to target,  
Verify the input against the 'legally responsible person table'.  
If not in the table move 'O' to target field.

## living\_arrang, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	living_arrang		
<b>Code:</b>	living_arrang		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(2)		
<b>Length:</b>	2	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	2

## Description

The client's living arrangement (residential), at the time of admission to or discharge from the facility or LME/area program

Living Arrangements:

CDW

01	Private residence (house, apartment, mobile home, child living with family)
02	Other independent rooming house dormitory, barracks, fraternity house, work bunk house or ship)
03	Homeless(street, vehicle, shelter for homeless)
04	Correctional facility(prison, jail, training school, detention center)
05	Institution(psychiatric hospital, mental retardation center, Wright, ADATC)
06	Residential facility excluding nursing homes (halfway house, group home, child care institution, DDA group home)
07	Foster family, alternative family living
08	Nursing home (ICF, SNF)
09	Adult care home – 7 or more beds (rest home)
10	Adult care home – 6 or fewer beds (family care home)
11	Community ICF-MR
12	Community ICF-MR 70 or more beds
OO	Other

## Annotation

Data migration :

Area Program

1,2,3,4,5,6,7	Private residence
9,6,A,B	Homeless
8	Institution

Move value as is to target.

Post migration :

If input value is blank, move a 'U' to the target field.

If the input is invalid move 'O' to the target field,

If input validates correctly against the 'living arrangement' table,  
move input to target field.

## loa\_end\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	loa_end_date		
<b>Code:</b>	loa_end_date		
<b>Label:</b>	OPTIONAL (Institutions Only).		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	0	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	0

### Description

The month, day, and year that the clients' leave of absence ends and s/he returns to the institution. The date is in relational format, yyyy-mm-dd.

### Annotation

Data migration :

Update the field with the discharge date. The end date must be present before another LOA record will be processed. If the client is terminated and the LOA is still open, update with the terminate date.

Post migration :

Expect a valid date. Also this date must be prior to the next LOA date.

## loa\_last\_updt\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	loa_last_updt_date		
<b>Code:</b>	loa_last_updt_date		
<b>Label:</b>	DERIVED (Internally Generated).		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	0	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	0

### Description

Last date that this record was updated.

### Annotation

Last date that this record was updated.

## loa\_start\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	loa_start_date		
<b>Code:</b>	loa_start_date		
<b>Label:</b>	MANDATORY (Institutions Only).		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	0	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	0

### Description

The month, day, and year that the client leave of absence begins. The date is in relational format, yyyy-mm-dd

### Annotation

Data and post migration :

This field applies to Institutions only. Must be a valid date.

## loav\_type, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	loav_type		
<b>Code:</b>	loav_type		
<b>Label:</b>	MANDATORY (Institutions Only).		
<b>Domain:</b>			
<b>Type:</b>	char(3)		
<b>Length:</b>	3	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	3

## Description

This field designates the kind of leave of absence.

### LOA TYPE

EL	Exhausted therapeutic leave
FE	Forensic evaluation at DIX
MV	Medical visit
RP	Release Pending court hearing
TL	Therapeutic leave
TP	Trial placement
TV	Temporary visit
TX	Transfer out to visiting patient status
UA	Unauthorized absence

## Annotation

Data migration note:

Code:

250	>>>	MV
210	>>>	TP
200	>>>	UA
240	>>>	TL
260	>>>	RP
400	>>>	TX
???	>>>	EL,FE,TV,TX.

Post migration note :

This field applies to institutions only.

If the input field does not validate in the 'leave of absence type' table reject the input record else move the input to the target field.

If Loa type = 400, must have admission record to another institution.

## marital\_status, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	marital_status		
<b>Code:</b>	marital_status		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

## Description

Marital status at the time of admission.  
The settings are as follows:

A=Annulled,  
S=Single/Never Married,  
M=Married,  
P=Separated,  
D= Divorced,  
W=Widowed,  
U=Unknown,  
L=Domestic partners.

## Annotation

Data migration :  
Straight move from CEA.

Post migration :  
If input value is blank, move a 'U' to the target field.  
If the input is invalid move 'O' to the target field,  
If input validates correctly against the 'marital status' table, move input to target field.

**meth\_plan\_ind, column (Opioid Replacement Therapy)**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	meth_plan_ind		
<b>Code:</b>	meth_plan_ind		
<b>Label:</b>	MANDATORY (LME/Area Programs Only).		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

**Description**

Identify whether the use of methadone or buprenorphine is part of the consumer's treatment plan or PCP.

Y=Yes,

N=No.

**Annotation**

Data and post migration :

If the facility is a methadone treatment center, then input must be a 'y' or an 'n' else reject the input record.

If the facility is not a methadone treatment center, then the input must be a 'n' or ' ' else reject the record.

## Patient\_type, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	patient_type		
<b>Code:</b>	patient_type		
<b>Label:</b>	MANDATORY (Institutions Only).		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

## Description

Describes the category of a client visit at a facility.

I=Inpatient

O=Outpatient

R=Series/Recurring

S=Same day surgery

V=Visiting

## Annotation

Data migration

No conversion required, will be initialized with a '. In addition ' will be place in patient days.

Post migration:

This field applies to institutions only. Area programs will receive an ' in the target field. If input validates correctly against the 'patient type' table, move input to target field. Else reject the input record.

## primary\_language, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	primary_language		
<b>Code:</b>	primary_language		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

## Description

The language spoken and or understood by the client.

The settings are as follows:

E=English,  
L=Sign language,  
F=French,  
S=Spanish,  
O=Other,  
N=None,  
U=Unknown.

## Annotation

New Data item on Screening Record. Effective 10/01/08.

## prov\_chos\_how, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	prov_chos_how		
<b>Code:</b>	prov_chos_how		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

### Description

Indicate how the provider was selected for/by the client.

- 1=Consumer Choice
- 2=Family/Legal Guardian Choice
- 3= Screener Decision
- 4=Other Person Decision / NA
- 5= NA for systems that have added this code

### Annotation

New Data item on Screening Record. Effective 10/01/08.

**prov\_chos\_why, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	prov_chos_why		
<b>Code:</b>	prov_chos_why		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char (2)		
<b>Length:</b>	2	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	2

**Description**

Indicate why the provider was selected for/by the client.

- 01=Consumer Coverage Benefits
- 02=Crisis or Urgent Access
- 03=First Available
- 04=Hours
- 05=Location
- 06=Cultural Reasons
- 07=Reputation/Recommended by Others
- 08=Provider Speciality
- 09=Other Reason / NA
- 10= NA for systems that have added this code

**Annotation**

New Data item on Screening Record. Effective 10/01/08.

**race, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	race		
<b>Code:</b>	race		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

**Description**

Identification of the clients' race.  
The following are the field values:

A = Asian

B = Black/African American

I = American Indian/Native American

K = Alaskan Native

M = Multiracial

O = Other

P = Pacific Islander

W = White

U = Unknown

Complies with census and MHSIP (Mental Health Statistics Improvement Program).

**Annotation**

Data migration note :

Make 'k' = 'i',  
'n' = 'b',  
'h' = 'o',  
' ' = 'u'  
'u' = 'u'.

Post migration:

If input value is blank, move a 'U' to the target field.

If the input is invalid move 'O' to the target field,

If input validates correctly against the ' race' table, move input to target field.

## risk\_admit\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	risk_admit_date		
<b>Code:</b>	risk_admit_date		
<b>Label:</b>	MANDATORY (Area Program Only).		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

### Description (DISCONTINUE)

The date of the admission with which this risk factor is associated. Must match a valid admission date for the client.

### Annotation

Data migration :  
Data taken from the IMS area program DB segment.

Post migration:  
Must be a valid date and must match the 'CONSUMER ADMISSION DATE'.

## risk\_last\_updt\_date, column

<b>Table Code:</b> CDW_DICTIONARY
<b>Name:</b> risk_last_updt_date
<b>Code:</b> risk_last_updt_date
<b>Label:</b> DERIVED (Internally Generated).
<b>Domain:</b> Date
<b>Type:</b> datetime
<b>Length:</b> 8 <b>Precision:</b> 0
<b>Null Values:</b> 0% <b>Distinct Values:</b> 100% <b>Average Length:</b> 8

### Description (DISCONTINUE)

Last date that this record was updated.

### Annotation

Last date that this record was updated.

**riskv\_factor, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	riskv_factor		
<b>Code:</b>	riskv_factor		
<b>Label:</b>	MANDATORY (Area Program Only).		
<b>Domain:</b>			
<b>Type:</b>	char(2)		
<b>Length:</b>	2	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	2

**Description (DISCONTINUE)**

Factors that cause a child to be a risk for future MH/DD/SAS services.  
Report on the Governors At Risk Report.

Risk factors:

01=is a school dropout,  
02=has experienced repeated failure in school,  
03=has become pregnant,  
04=is economically disadvantaged,  
05=is the child of a drug or alcohol abuser,  
06=is a victim of physical, sexual, or psychological abuse,  
07=has committed a violent or delinquent act,  
08=has experienced mental health problems,  
09=has attempted suicide,  
10=has experienced long-term physical pain due to injury,  
11=is a juvenile in a detention facility within the state,  
12=other.

**Annotation**

Data migration note :  
Data taken from the IMS area program DB segment.

Post migration note :  
If input does not validate in the 'risk factor' table reject the record,  
else move the input to the target field.

## sa\_end\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	sa_end_date		
<b>Code:</b>	sa_end_date		
<b>Label:</b>	Optional		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

### Description

The date an individual ends treatment at an area program for a specific substance (drug of choice). The date is in relational format, yyyy-mm-dd.

### Annotation

Data and post migration :

At the time of termination move termination date to this field or blank..

## sa\_last\_update\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	sa_last_update_date		
<b>Code:</b>	sa_last_update_date		
<b>Label:</b>	DERIVED (Internally Generated).		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

### Description

Last date that this record was updated.

### Annotation

Last date that this record was updated.

## sa\_start\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	sa_start_date		
<b>Code:</b>	sa_start_date		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

### Description

The date an individual started substance abuse treatment. The date is in relational format, yyyy-mm-dd.

### Annotation

Data and post migration :  
Date must be a valid date or record is rejected.

## samo\_end\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	samo_end_date		
<b>Code:</b>	samo_end_date		
<b>Label:</b>	Optional		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

### Description

The date an individual is formally terminated from a specific substance abuse treatment service. The date is in relational format, yyyy-mm-dd.

### Annotation

Data migration :  
Update the field with the termination date.

Post migration:  
Update when the client is terminated.

## samo\_last\_update\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	samo_last_update_date		
<b>Code:</b>	samo_last_update_date		
<b>Label:</b>	DERIVED (Internally Generated).		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

### Description

Last date that this record was updated.

### Annotation

Last date that this record was updated.

## samo\_start\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	samo_start_date		
<b>Code:</b>	samo_start_date		
<b>Label:</b>	MANDATORY (Area Programs Only).		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

### Description

The date an individual is formally admitted to an area program for substance abuse treatment service. The date is in relational format, yyyy-mm-dd...

### Annotation

Data Migration:  
Data to be obtained from the IMS SA segment.

Post migration :  
Data obtained from the input record, must be a valid date or else reject the record.

## sav\_age\_first\_use, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	sav_age_first_use		
<b>Code:</b>	sav_age_first_use		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(2)		
<b>Length:</b>	2	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	2

### Description

Designation of the age that the client first began using the drug specified on this substance abuse record. The value is numeric and can range from 00-99.

### Annotation

Data migration:

A blank and a blank/zero setting on the input will be set to '00'. Otherwise this is a straight move from the input segment.

If not an SA person then move a blank to the target field.

Post Migration :

Make sure value is numeric, then move to target field. If invalid then reject record and notify the user.

## sav\_drug\_code, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	sav_drug_code		
<b>Code:</b>	sav_drug_code		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(2)		
<b>Length:</b>	2	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	2

## Description

Designation of the substance the client was abusing. This is a 2 character field, alphanumeric.

### Drug Code.

- 00= None (e.g client in remission.)
- 01= Alcohol
- 02= Cocaine/Crack
- 03= Marijuana/Hashish (Cannibus)
- 04= Heroin
- 05= Non-Prescription Methadone
- 06= Other Opiates and Synthetics (Morphine, Codine, Dilaudid, Percodan)
- 07= PCP (Phencyclidine)
- 08= OtherHallucinogens (LSD, MDA, Psilocybin, Mescaline)
- 09= Methamphetamine (Ice)
- 10= Other Amphetamines (Dextroamphetamine, Dexedrine, Amphetamine, Crank, Speed)
- 11= Other Stimulants (e.g. caffeine)
- 12= Benzodiazepine (Tranxene, Diazepam, Lorazepam, etc.)
- 13= Other Tranquilizers (Thorazine, Haldol)
- 14= Barbiturates (Phenobarbital, Secobarbital, Pentobarbital)
- 15= Other Sedatives or Hypnotics (Doriden, Quaalude)
- 16= Inhalants (Nitrites, Freon, glue, turpentine, paint thinner, rubbing alcohol, gasoline, etc.)
- 17= Over the counter drugs (includes aspirin, cough syrup, diphenhydramine and other anti-histimines, sleep aids, and any other legally obtained, non-prescription medication)
- 18= Other (Includes Diphenylhydantoin/Phenytoin, GHB/GBL, Ketamine, etc.)
- 19= Tobacco.

## Annotation

### Data migration:

This is a straight move from the input record. A blank setting represents unknown if client abuses a substance.

### Post migration :

If the input does not validate against the 'drug code' table then reject the record, else move input to the target field.

## sav\_drug\_frequency, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	sav_drug_frequency		
<b>Code:</b>	sav_drug_frequency		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

### Description

Specification of the frequency of use for the substance abused by the client as identified in the substance abuse record. This is a one character alphanumeric field no special characters allowed.

The values are:

0= not in past mth

1=1-3 x in past mth.

2= 1-2 x in past wk.

3= 3-6 x in past wk.

4= daily use,

9= unknown.

### Annotation

Data and post migration :

If the input does not validate against the 'drug use frequency' table reject the record, else move the input to the target field.

## sav\_drug\_use\_class, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	sav_drug_use_class		
<b>Code:</b>	sav_drug_use_class		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

### Description

The desirability to the client of the substances abused. R= primary , S=secondary, A=additional. This is a one character alphanumeric field, no special characters allowed.

### Annotation

Data and post migration :

Must be a 'R', 'S', or 'A' else reject the record.

## sav\_drug\_use\_route, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	sav_drug_use_route		
<b>Code:</b>	sav_drug_use_route		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

### Description

Usual route of administration of the substance abused by a client. This is a one character alphanumeric field, using no special characters.

The codes are:

1=oral,

2=smoking,

3=inhallation,

4=injection,

5=other,

9=unknown.

### Annotation

#### Data and post migration note :

**If the input field does not validate against the ' drug use route' table reject the record,  
else move the input to the target field.**

## sav\_drug\_trans\_type, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	sav_drug_trans_type		
<b>Code:</b>	sav_drug_trans_type		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char(1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

## Description

Designates whether the Drug of Choice Record is for an initial admission episode, a transfer between services, or for a discharge from treatment services.

The codes are:

A=Initial Admission Episode

T=Transfer/Change In Service or Change In Provider

D=Discharge From Treatment Services

**Annotation New** Data Item 05/01/08

**screen\_county\_resid, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	screen_county_resid		
<b>Code:</b>	screen_county_resid		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>			
<b>Length:</b>	3	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	3

**Description (DISCONTINUE)**

The county in which the consumer resides. Refer to data item "county\_code", pages 38-40.

**Annotation**

**screen\_medicaid\_enrollment, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	screen_medicaid_enrollment		
<b>Code:</b>	screen_medicaid_enrollment		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>			
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

**Description (DISCONTINUE)**

Field to check status of Medicaid enrollment (self-reported). "N" = No, "Y" = Yes.

If they are unsure, check "no".

**Annotation**

**screen\_method, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	screen_method		
<b>Code:</b>	screen_method		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>			
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

**Description (DISCONTINUE)**

Consumer initiates telephonic or face-to-face contact with the LME or a Provider. F=Face to face, T=Telephonic.

**Annotation**

**screen\_pres\_agedis\_prob1, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	screen_pres_agedis_prob1		
<b>Code:</b>	screen_pres_agedis_prob1		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>			
<b>Length:</b>	2	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	2

**Description (DISCONTINUE)**

At the point of screening by the LME, the consumer is determined to meet one of the following age disability population criteria. If more than one, go to data items 15 & 16 (screen\_pres\_agedis\_prob2, screen\_pres\_agedis\_prob3).

AM = Adult Mental Health

CM = Child Mental Health

AD = Adult Developmental Disability

CD = Child Developmental Disability

AS = Adult Substance Abuse

CS = Child Substance Abuse

**Annotation**

**screen\_pres\_agedis\_prob2, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	screen_pres_agedis_prob2		
<b>Code:</b>	screen_pres_agedis_prob2		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>			
<b>Length:</b>	2	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	2

**Description (DISCONTINUE)**

At the point of screening by the LME, the consumer is determined to meet one of the following age disability population criteria. If more than two, go to data item 16 (screen\_pres\_agedis\_prob3).

AM = Adult Mental Health

CM = Child Mental Health

AD = Adult Developmental Disability

CD = Child Developmental Disability

AS = Adult Substance Abuse

CS = Child Substance Abuse

**Annotation**

**screen\_pres\_agedis\_prob3, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	screen_pres_agedis_prob3		
<b>Code:</b>	screen_pres_agedis_prob3		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>			
<b>Length:</b>	2	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	2

**Description (DISCONTINUE)**

At the point of screening by the LME, the consumer is determined to meet one of the following age disability population criteria.

AM = Adult Mental Health

CM = Child Mental Health

AD = Adult Developmental Disability

CD = Child Developmental Disability

AS = Adult Substance Abuse

CS = Child Substance Abuse

**Annotation**

**screen\_time\_begin, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	screen_time_begin		
<b>Code:</b>	screen_time_begin		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	military time		
<b>Length:</b>	4	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	4

**Description (DISCONTINUE)**

The time at the beginning of screening. The format is in military time, HHMM (0000-2359).

**Annotation**

**screen\_time\_end, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	screen_time_end		
<b>Code:</b>	screen_time_end		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	military time		
<b>Length:</b>	4	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	4

**Description (DISCONTINUE)**

The time at the end of screening. The format is in military time, HHMM (0000-2359).

**Annotation**

## serv\_end\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	serv_end_date		
<b>Code:</b>	serv_end_date		
<b>Label:</b>	OPTIONAL (Institutions Only).		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

### Description

The month, day, and year that a client completes the service change within a facility. The date is in relational format, yyyy-mm-dd

### Annotation

Data migration :  
Set field to blank or if available use termination date.

Post migration :  
Update the target field with the termination date. Make sure date is valid.

## serv\_last\_updt\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	serv_last_updt_date		
<b>Code:</b>	serv_last_updt_date		
<b>Label:</b>	DERIVED (Internally Generated).		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

### Description

Last date that this record was updated.

### Annotation

Last date that this record was updated.

## serv\_start\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	serv_start_date		
<b>Code:</b>	serv_start_date		
<b>Label:</b>	MANDATORY (Institutions Only).		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

### Description

The month, day, and year that a client starts to change service within a facility. The date is in relational format, yyyy-mm-dd

### Annotation

Data migration:

Set field to blank or if available use admission date.

Post migration:

Update the target field with the admission date. Make sure date is valid.

## service\_code, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	service_code		
<b>Code:</b>	service_code		
<b>Label:</b>	MANDATORY (Institutions Only).		
<b>Domain:</b>			
<b>Type:</b>	char (3		
<b>Length:</b>	3	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	3

## Description

Designation of the type of programmatic service to which the client is transferring.

Service Code.

AA Adult Acute Psych, Active Rx  
 AAI Adult Acute Psych, LL-ICF  
 AAN Adult Acute Psych, Non-acute  
 AAS Adult Acute Psych, LL-SNF  
 AL Adult Long Term, Active Rx  
 ALI Adult Long Term, LL-ICF  
 ALN Adult Long Term, Non-acute  
 ALS Adult Long Term, LL-SNF  
 AQ Aquatics  
 AR Adult Rehab, Active Rx  
 ARI Adult Rehab, LL-ICF  
 ARN Adult Rehab, Non-acute  
 ARS Adult Rehab, LL-SNF  
 AT BART-Behav Adv Residential Rx  
 AU Audiology  
 CA Child/Youth Acute, Active Rx  
 CAN Child/Youth Acute, Non-acute  
 CC Critical Care  
 CL Child/Youth Lng Trm, Active Rx  
 CLN Child/Youth Lng Trm, Non acute  
 CM Medical Consult  
 CNS Surgical Consult  
 CR Crisis Service, Active Rx  
 DC Dental Clinic  
 DF Deaf Services, Active Rx  
 DFI Deaf Services, LL-ICF  
 DFN Deaf Services, Non acute  
 DFS Deaf Services, LL-SNF  
 DI Dietary  
 DM Dermatology Clinic  
 DO Day Outpatient Surgery  
 DT Detox Active Treatment  
 DTN Detox Non Acute  
 EA ERADC(East Reg Assis Device)  
 EC Eye Clinic (Optometry)  
 ED Education

EN	ENT Clinic
EQ	Equestrian
EV	Evaluation
GA	Geriatric Acute, Active Rx
GAI	Geriatric Acute, LL-ICF
GAN	Geriatric Acute, Non-acute
GAS	Geriatric Acute, LL-SNF
GI	Gastroenterology Clinic
GL	Geriatric Long Term, Active Rx
GLI	Geriatric Long Term, LL-ICF
GLN	Geriatric Long Term, Non-acute
GLS	Geriatric Long Term, LL-SNF
GY	Gynecology
HM	High Mgt/Forensic Rx,Active Rx
HMI	High Mgt/Forensic Rx, LL-ICF
HMN	High Mgt/Forensic Rx,Non-acute
HMS	High Mgt/Forensic Rx, LL-SNF
IC	ICF(Intermediate Care Facility)
IN	Infirmiry (MR Centers)
JD	John Doe Service *
LAB	Laboratory
MC	Medical Clinic
MD	Medication Review
MR	ICF/MR (Mental Retardation)
MS	Medical Service
MT	MAE Team
NC	Nurs/Combined Care, Active Rx
NCI	Nurs/Combined Care, LL-ICF
NCN	Nurs/Combined Care, Non-acute
NCS	Nurs/Combined Care, LL-SNF
NP	Neuropsychological Clinic
NR	Neurology Clinic
OB	Observation
OC	Orthopedic Clinic
OP	Ophthalmology Clinic
OR	Outreach
OS	Oral Surgery Clinic
OT	Optical Clinic
PN	Perinatal (ADATCs)
PO	Podiatry Clinic
POB	Psychiatric Observation *
PS	Psychology Clinic
PT	Pre-Trial Evaluation
PY	Psychiatric Clinic
RA	Alzheimer's Respite
RAD	Radiology
RD	Re-education
RE	Research, Active Treatment
REI	Research, Lower Level ICF
REN	Research, Non-acute
RES	Research, Lower Level SNF
RP	Respite - Mental Retardation
RR	Respite - Re-Education
SA	Substance Abuse, Active Rx
SAN	Substance Abuse, Non-Acute

SER	Series Outpatient
SC	Surgery Clinic
SH	Speech/Hearing Clinic
SN	SNF(Skilled Nursing Facility)
SP	Speech/Language Clinic
SS	Surgical Services
SW	Social Work (Outpatient)
TB	Tuberculosis
TO	Tonometry Clinic
TR	Therapeutic Respite
UR	Urology Clinic
VS	Vocational Services

## Annotation

Data and post migration:

If the input field does not validate against the 'service code' table then reject the input record, else move the input field to the target field.

ARBS Code	ARBS Description	Affinity Code	Affinity Description
AA	Adult Psych - Acute	AA	Adult Acute Psych, Active Rx
AC	Acute Care Infirmery	MR	ICF/MR (Mental Retardation)
AL	Adult Psych - Long Term	AL	Adult Long Term, Active Rx
AR	Adult Rehab	AR	Adult Rehab, Active Rx
AQ	Aquatics	AQ	Aquatics
AT	Bart Service	AT	BART-Behav Adv Residential Rx
AU	Audiology	AU	Audiology
CA	Chld/Yth Psych - Acute	CA	Chikd/Youth Acute, Active Rx
CB	Discharge Conversion		
CC	Critical Care	CC	Critical Care
CL	Chld/Yth Psych - LT	CL	Child/Youth Lng Trm, Active Rx
CL/9	Willie M	CL	Child/Youth Lng Trm, Active Rx
CM	Medical Consult	CM	Medical Consult
CNS	Consult - Surgical	CNS	Consult - Surgical
CO	Chld/Yth Psych OP	SER	Series
CS	Surgical Consult	CNS	Consult - Surgical
DC	Dental Clinic	DC	Dental Clinic
DF	Deaf Services	DF	Deaf Services, Active Rx
DI	Dietary	DI	Dietary
DM	Dermatology Clinic	DM	Dermatology Clinic
DO	Day Appetent/Day OP Surg	DO	Day Outpatient Surgery
DS	Day Service	SER	Series
EA	ERADC	EA	ERADC(East Reg Assis Device)
EC	Eye Clinic	EC	Eye Clinic
ED	Education	ED	Education
EN	ENT Clinic	EN	ENT Clinic
EQ	Equestrian	EQ	Equestrian
EV	Evaluation	EV	Evaluation
GA	Geri Psych - Acute	GA	Geriatric Acute, Active Rx

GI	GI Clinic	GI	Gastroenterology Clinic
GL	Geri Psych - Long Term	GL	Geriatric Long Term, Active Rx
GY	GYN Clinic	GY	Gyneclolcy
HM	High Management	HM	High Mgt/Forensic Rx, Active Rx
IC	ICF Level of Care	IC	ICF (Intermediate Care Facility)
IN	Psych Infirmiry/Infirmiry	IN	Infirmiry (MR Centers)
LAB	Laboratory	LAB	Laboratory
MC	Medical Clinic	MC	Medical Clinic
MD	Medication Review	MD	Medication Review
MR	MR	MR	ICF/MR (Mental Retardation)
MS	Medical Service	MS	Medical Service
MT	MAE Team	MT	MAE Team
NC	Nursing Care	NC	Nurs/Combined Care, Active Rx
NP	Neuropsych Clinic	NP	Neuropsychological Clinic
NR	Neurology Clinic	NR	Neurology Clinic
OB	Observation	POB	Psychiatric Observation
PS	Psychology	PS	Psychology Clinic
PT	Pre-Trial Evaluation	PT	Pre-Trial Evaluation
PY	Psychiatric Clinic	PY	Psychiatric Clinic
RA	Alzheimer's Respite	RA	Alzheimer's Respite
RAD	Radiology	RAD	Radiology
RE	Research Patients	RE	Research, Active Treatment
RO	Research OP Clinic	SER	Series
RP	MR Respite	RP	Respite, Mental Retardation
SA	Substance Abuse	SA	Substance Abuse, Active Rx
SC	Surgery Clinic	SC	Surgery Clinic
SH	Speech/Hearing Clinic	SH	Speech/Hearing Clinic
SN	SNF Level of Care	SN	SNF (Skilled Nursing Facility)
SP	Speech/Language Clinic	SP	Speech/Language Clinic
SS	Surgical Service	SS	Surgical Services
SW	Social Work	SW	Social Work (Outpatient)
TB	Tuberculosis	TB	Tuberculosis
TO	Tonometry Clinic	TO	Tonometry Clinic
TR	Therapeutic Respite	TR	Therapeutic Respite
UR	Urology Clinic	UR	Urology Clinic
VS	Vocational Services	VS	Vocational Services

## spec\_end\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	spec_end_date		
<b>Code:</b>	spec_end_date		
<b>Label:</b>	OPTIONAL (Area Programs Only).		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

### Description (DISCONTINUE)

The month, day and year that the client is no longer part of a specified special population. The date is in relational format, yyyy-mm-dd.

### Annotation

Data migration:

Set field to blank or if available use termination date.

Post migration:

Update the target field with the termination date. Make sure date is valid.

## spec\_last\_updt\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	spec_last_updt_date		
<b>Code:</b>	spec_last_updt_date		
<b>Label:</b>	DERIVED (Internally Generated).		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

### Description (DISCONTINUE)

Last date that this record was updated.

### Annotation

Last date that this record was updated.

## spec\_start\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	spec_start_date		
<b>Code:</b>	spec_start_date		
<b>Label:</b>	MANDATORY (Area Programs Only).		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

### Description (DISCONTINUE)

The month, day and year that the client became part of the special population group. The date is in relational format, yyyy-mm-dd.

### Annotation

Data and post migration:

This field applies to area programs only. Must be a valid date.

**specv\_type, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	specv_type		
<b>Code:</b>	specv_type		
<b>Label:</b>	MANDATORY (Area Programs Only).		
<b>Domain:</b>			
<b>Type:</b>	char (1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

**Description (DISCONTINUE)**

Designation of categories of special interest or special funding subgroups based on similar characteristics, which are applicable to a client.

- 4= CAP/MR/DD A person who has been designated as eligible to receive services reimbursed by Medicaid under the Community Alternatives Program for persons with Mental Retardation or other Developmental Disabilities,
- 6=SPMI Serious and persistent mental illness:  
Adults, age 18 and older with severe and persistent mental illness who as a result of a mental disorder, exhibit emotional or behavioral functioning which is so impaired as to interfere substantially with their capacity to remain in the community without supportive treatment or services of a long term or indefinite duration,
- 7=Communicable disease risk A client who has injected a controlled substance or has engaged in unprotected sexual contacts with multiple sex partners or with an injection drug user or has tested positive for HIV, AIDS, Hepatitis B or C, sexually transmitted disease, or active tuberculosis or is receiving Methadone maintenance,
- 8=Traumatic brain injury (TBI). A person who is disabled due to a head injury which is defined as an insult to the brain caused by external trauma which may or may not result in loss of consciousness or coma and which produces any or all of the following impairments: cognitive impairment, communication disorder, motor dysfunction, and behavioral disorder,
- C= Juvenile/ Criminal justice involvement Person who is receiving services because of involvement in the juvenile or criminal justice system including arrest, delinquency petition, incarceration, probation or parole.
- D=Maternal Female client who has primary responsibility for the care of dependent children under age 5,
- E=Youth with sexually aggressive

behavior	Child <18 who admits to having committed an act of sexual abuse or has been adjudicated for an illegal sexual act and the inappropriate sexual behavior is the current focus of treatment,
F=Serious Emotional Disturbance (SED)	Child 18 or younger who has a diagnosable mental, behavioral, or emotional disorder of sufficient duration to meet diagnostic criteria specified within DSMIV, that resulted in functional impairment which substantially interferes or limits the child's role or functioning in family, school, or community activities,
G=Deaf/Hard of hearing	an individual who, because of deafness or hearing impairment, communicates only by using sign language or who requires assistive listening devices in order to communicate,
H=Non-English speaking	An individual who communicates only in language(s) other than English and therefore requires an interpreter,
I=TANF recipient	Temporary assistance to needy families. Receives work first cash assistance.
J=Medicaid recipient	Is currently Medicaid eligible, as evidenced by a Medicaid card,
K=Child in DSS custody	Child may or may not be in foster care,
L=SSI/SSDI	Person eligible for supplemental security income or supplemental security disability income.
P=Pregnant	Pregnant.

## Annotation

Data and post migration note:

Data will be validated against the 'special population' table. If invalid then the record will be rejected, else the data will be moved to the target field.

**state\_of\_residence, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	state_of_residence		
<b>Code:</b>	state_of_residence		
<b>Label:</b>	OPTIONAL		
<b>Domain:</b>			
<b>Type:</b>	char (2)		
<b>Length:</b>	2	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	2

**Description (DISCONTINUE)**

The state in which the consumer or his/her legally responsible person resides. The legal state of residence may differ from the current address. This is a new field for CDW

State/Possession	Abbreviation
------------------	--------------

ALABAMA	AL
ALASKA	AK
ARIZONA	AZ
ARKANSAS	AR
CALIFORNIA	CA
CANAL ZONE	CZ
COLORADO	CO
CONNECTICUT	CT
DELAWARE	DE
DISTRICT OF COLUMBIA	DC
FOREIGN COUNTRIES	FC
FLORIDA	FL
GEORGIA	GA
GUAM	GU
HAWAII	HI
IDAHO	ID
ILLINOIS	IL
INDIANA	IN
IOWA	IA
KANSAS	KS
KENTUCKY	KY
LOUISIANA	LA
MAINE	ME
MARYLAND	MD
MASSACHUSETTS	MA
MICHIGAN	MI
MINNESOTA	MN
MISSISSIPPI	MS
MISSOURI	MO
MONTANA	MT
NEBRASKA	NE
NEVADA	NV
NEW HAMPSHIRE	NH
NEW JERSEY	NJ
NEW MEXICO	NM
NEW YORK	NY

NORTH CAROLINA	NC
NORTH DAKOTA	ND
OHIO	OH
OKLAHOMA	OK
OREGON	OR
PENNSYLVANIA	PA
PUERTO RICO	PR
RHODE ISLAND	RI
SOUTH CAROLINA	SC
SOUTH DAKOTA	SD
TENNESSEE	TN
TEXAS	TX
UTAH	UT
VERMONT	VT
VIRGIN ISLANDS	VI
VIRGINIA	VA
WASHINGTON	WA
WEST VIRGINIA	WV
WISCONSIN	WI
WYOMING	WY

### **Annotation**

Data migration:

N/A new field.

Post migration:

If input value is blank, move a 'U' to the target field.

If the input is invalid move 'O' to the target field,

If input validates correctly against the 'state of residence' table,  
move input to target field.

**thom\_effective\_date, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	thom_effective_date		
<b>Code:</b>	thom_effective_date		
<b>Label:</b>	MANDATORY (Internally Loaded).		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	0	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	0

**Description (DISCONTINUE)**

The date the consumer became a certified Thomas S client.

**Annotation**

Data migration:

Data is not available from the IMS system, will not be migrated.

Post migration:

Move valid date in to target field.

## thom\_end\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	thom_end_date		
<b>Code:</b>	thom_end_date		
<b>Label:</b>	OPTIONAL (Internally Loaded).		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	0	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	0

### Description (DISCONTINUE)

The date the consumer was no longer a Thomas S client due to death or termination.

### Annotation

Data migration:

Data is not available from the IMS system, will not be migrated.

Post migration:

Move valid date to target field.

## thom\_last\_updt\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	thom_last_updt_date		
<b>Code:</b>	thom_last_updt_date		
<b>Label:</b>	DERIVED (Internally Generated).		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	0	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	0

### Description

Last date that this record was updated.

### Annotation

Last date that this record was updated.

**thomv\_type, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	thomv_type		
<b>Code:</b>	thomv_type		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char (1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

**Description (DISCONTINUE)**

The funding type of a client within the Thomas S system.

This info is from Francis Taylor 8/98

- 00 - Initial Status (First Tracking Entered)
- 01 - Client Deceased
- 02 - Client Relocated
- 04 - Client Not Located
- 05 - Client Reconfirmed
- 06 - Other
- 08 - Client Admitted to Institution
- 09 - Client Discharged from Institution
- 11 - Class members residing in MRC's

**Annotation**

Data migration: Data not available in IMS, no data will be migrated.

Post migration:

If the input data does not validate against the 'Thomas s status' table then reject the record, else move the input date to the target field.

**traumatic\_brain\_injury, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	traumatic_brain_injury		
<b>Code:</b>	traumatic_brain_injury		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char (1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

**Description**

At any time in the past has the individual been suspected of having a head injury or a brain injury

1=Yes

2=No

3=Not sure

**Annotation**

This is a new field on the demographic record effective 07/01/2015

## ufds\_code, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	UFDS code		
<b>Code:</b>	ufds_code		
<b>Label:</b>	MANDATORY (LME/Area Programs Only).		
<b>Domain:</b>			
<b>Type:</b>	char (8)		
<b>Length:</b>	8	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	8

## Description

- **The Inventory of Behavioral Health Services I-BHS (formerly I-SATS)** is a listing of all known public and private treatment facilities maintained by Substance Abuse and Mental Health Services Administration (SAMHSA) in cooperation with the states. It contains all substance abuse and mental health treatment facilities known to SAMHSA. The I-SATS code is now the I-BHS code.

## Annotation

Contact Data Operations for current listing (919) 733-4460.

**veteran\_status, column NEW DATA VALUES**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	veteran_status		
<b>Code:</b>	veteran_status		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char (1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

**Description**

Indicates if you or a member of your immediate family or household is currently serving in or has served in, the Military, Military Reserve or National Guard  
 Veteran Status is on the demographic record and has new values as detailed below.

1=Yes, Active Military, Reserve or Guard  
 2=Yes, Veteran or prior service member  
 3=Yes, Family Member  
 4=No

**Annotation**

Data migration:

For institutions, if the veteran status is 'y' or 'n' move the code to the target field else move 'U' to target field and write the record.

Area programs will be set to an 'U'.

Post migration:

If input field is a blank, move an 'U' to the target field.  
 Else move input to target.

**where\_ref\_after\_triag, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	where_ref_after_triag		
<b>Code:</b>	where_ref_after_triag		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char (1)		
<b>Length:</b>	1	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	1

**Description (DISCONTINUE)**

Indicates the type of referral the consumer is referred to by the LME/provider.

E=Enhanced Benefits  
B=Basic Benefits  
C=Community Supports  
R=Crisis Services

**Annotation**

**will\_effective\_date, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	will_effective_date		
<b>Code:</b>	will_effective_date		
<b>Label:</b>	MANDATORY (Internally Loaded).		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	0	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	0

**Description (DISCONTINUE)**

The date the consumer became a certified Willie M client.

**Annotation**

Data migration:

Data is not available from the IMS system, will not be migrated.

Post migration:

Ensure date is a valid date.

## will\_end\_date, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	will_end_date		
<b>Code:</b>	will_end_date		
<b>Label:</b>	OPTIONAL (Internally Loaded).		
<b>Domain:</b>	Date		
<b>Type:</b>	datetime		
<b>Length:</b>	0	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	0

### Description (DISCONTINUE)

The date the consumer was no longer a Willie M client due to death, aging out or certified ineligible. Mandatory if Willie M status is > or = to 400.

### Annotation

Data migration:

Data is not available from the IMS system, will not be migrated.

Post migration:

Ensure the date is valid.

**will\_last\_updt\_date, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	will_last_updt_date		
<b>Code:</b>	will_last_updt_date		
<b>Label:</b>	DERIVED (Internally Generated).		
<b>Domain:</b>			
<b>Type:</b>	datetime		
<b>Length:</b>	0	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	0

**Description (DISCONTINUE)**

Last date that this record was updated.

**Annotation**

Last date that this record was updated.

**willv\_status, column**

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	willv_status		
<b>Code:</b>	willv_status		
<b>Label:</b>	MANDATORY (Internally Loaded).		
<b>Domain:</b>			
<b>Type:</b>	char (3)		
<b>Length:</b>	3	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	3

**Description (DISCONTINUE)**

Status Codes

Code	Status Description
300	Certified Eligible
310	Appropriately Served - Periodic Update
315	Appropriately Served - Formal Review
320	Not Appropriately Served - Periodic Update
325	Not Appropriately Served - Formal Review
331	Not Appropriately Served but Program in Compliance - Periodic Update - Parent/Guardian or Emancipated Minor Refusing Services
332	Not Appropriately Served but Program in Compliance - Periodic Update -Action by Judge
333	Not Appropriately Served but Program in Compliance - Periodic Update Unforeseeable Emergency Conditions
334	Not Appropriately Served but Program in Compliance - Periodic Update Whereabouts Unknown
336	Not Appropriately Served but Program in Compliance - Formal Review - Parent/Guardian or Emancipated Minor Refusing Services
337	Not Appropriately Served but Program in Compliance - Formal Review - Action by Judge
338	Not Appropriately Served but Program in Compliance - Formal Review - Unforeseeable Emergency Conditions
339	Not Appropriately Served but Program in Compliance - Formal Review - Whereabouts Unknown
400	Certified Ineligible
410	Certified Ineligible - Child/Family Living Out of State
420	Certified Ineligible - Child Deceased
430	Certified Ineligible - Child in Adult Corrections Facility
440	Certified Ineligible - Child in Military
500	Certified Extended
600	Aged Out

**Annotation**

Data migration:

Data is not available from the IMS system, will not be migrated.

Post migration: Database will be populated via SYBASE/ INFOMAKER.

## zipcode, column

<b>Table Code:</b>	CDW_DICTIONARY		
<b>Name:</b>	zipcode		
<b>Code:</b>	zipcode		
<b>Label:</b>	MANDATORY		
<b>Domain:</b>			
<b>Type:</b>	char (9)		
<b>Length:</b>	9	<b>Precision:</b>	0
<b>Null Values:</b>	0%	<b>Distinct Values:</b>	100%
		<b>Average Length:</b>	9

## Description

Zipcode of the client.

## Annotation

Data migration note:

Not converted because it is not available. ' ' s will be used.

Post migration:

Validate against the 'zipcode' table, zipcodes are for North Carolina only. If invalid move 'O's to the target field. If blanks in the input field move 'U's to target field. If valid move input to target field.

The North Carolina Zipcodes are as follows:

27006 "Advance, NC"  
 27007 "Ararat, NC"  
 27008 "Barber, NC"  
 27009 "Belews Creek, NC"  
 27010 "Bethania, NC"  
 27011 "Boonville, NC"  
 27012 "Clemmons, NC"  
 27013 "Cleveland, NC"  
 27014 "Cooleemee, NC"  
 27016 "Danbury, NC"  
 27017 "Dobson, NC"  
 27018 "East Bend, NC"  
 27019 "Germanton, NC"  
 27020 "Hamptonville, NC"  
 27021 "King, NC"  
 27022 "Lawsonville, NC"  
 27023 "Lewisville, NC"  
 27024 "Lowgap, NC"  
 27025 "Madison, NC"  
 27027 "Mayodan, NC"  
 27028 "Mocksville, NC"  
 27030 "Mount Airy, NC"  
 27031 "Mount Airy, NC"  
 27040 "Pfaftown, NC"  
 27041 "Pilot Mountain, NC"  
 27042 "Pine Hall, NC"

27043 "Pinnacle, NC"  
27045 "Rural Hall, NC"  
27046 "Sandy Ridge, NC"  
27047 "Siloam, NC"  
27048 "Stoneville, NC"  
27049 "Toast, NC"  
27050 "Tobaccoville, NC"  
27051 "Walkertown, NC"  
27052 "Walnut Cove, NC"  
27053 "Westfield, NC"  
27054 "Woodleaf, NC"  
27055 "Yadkinville, NC"  
27098 "Rural Hall, NC"  
27099 "Rural Hall, NC"  
27100 "Winston-Salem, NC"  
27101 "Winston-Salem, NC"  
27102 "Winston-Salem, NC"  
27103 "Winston-Salem, NC"  
27104 "Winston-Salem, NC"  
27105 "Winston-Salem, NC"  
27106 "Winston-Salem, NC"  
27107 "Winston-Salem, NC"  
27108 "Winston-Salem, NC"  
27109 "Winston-Salem, NC"  
27110 "Winston-Salem, NC"  
27111 "Winston-Salem, NC"  
27113 "Winston-Salem, NC"  
27114 "Winston-Salem, NC"  
27115 "Winston-Salem, NC"  
27116 "Winston-Salem, NC"  
27117 "Winston-Salem, NC"  
27127 "Winston-Salem, NC"  
27150 "Winston-Salem, NC"  
27151 "Winston-Salem, NC"  
27152 "Winston-Salem, NC"  
27153 "Winston-Salem, NC"  
27154 "Winston-Salem, NC"  
27155 "Winston-Salem, NC"  
27156 "Winston-Salem, NC"  
27198 "Winston-Salem, NC"  
27199 "Winston-Salem, NC"  
27201 "Alamance, NC"  
27202 "Altamahaw, NC"  
27203 "Asheboro, NC"  
27204 "Asheboro, NC"  
27207 "Bear Creek, NC"  
27208 "Bennett, NC"  
27209 "Biscoe, NC"  
27212 "Blanch, NC"  
27213 "Bonlee, NC"  
27214 "Browns Summit, NC"  
27215 "Burlington, NC"  
27216 "Burlington, NC"  
27217 "Burlington, NC"  
27220 "Burlington, NC"

27228 "Pittsboro, NC"  
27229 "Candor, NC"  
27230 "Cedar Falls, NC"  
27231 "Cedar Grove, NC"  
27233 "Climax, NC"  
27234 "Coleridge, NC"  
27235 "Colfax, NC"  
27237 "Sanford, NC"  
27239 "Denton, NC"  
27242 "Eagle Springs, NC"  
27243 "Efland, NC"  
27244 "Elon College, NC"  
27247 "Ether, NC"  
27248 "Franklinville, NC"  
27249 "Gibsonville, NC"  
27251 "Glendon, NC"  
27252 "Goldston, NC"  
27253 "Graham, NC"  
27256 "Gulf, NC"  
27258 "Haw River, NC"  
27259 "Highfalls, NC"  
27260 "High Point, NC"  
27261 "High Point, NC"  
27262 "High Point, NC"  
27263 "High Point, NC"  
27264 "High Point, NC"  
27278 "Hillsborough, NC"  
27281 "Jackson Springs, NC"  
27282 "Jamestown, NC"  
27283 "Julian, NC"  
27284 "Kernersville, NC"  
27285 "Kernersville, NC"  
27288 "Eden, NC"  
27291 "Leasburg, NC"  
27292 "Lexington, NC"  
27293 "Lexington, NC"  
27294 "Lexington, NC"  
27298 "Liberty, NC"  
27299 "Linwood, NC"  
27301 "Mc Leansville, NC"  
27302 "Mebane, NC"  
27305 "Milton, NC"  
27306 "Mount Gilead, NC"  
27310 "Oak Ridge, NC"  
27311 "Pelham, NC"  
27312 "Pittsboro, NC"  
27313 "Pleasant Garden, NC"  
27314 "Prospect Hill, NC"  
27315 "Providence, NC"  
27316 "Ramseur, NC"  
27317 "Randleman, NC"  
27320 "Reidsville, NC"  
27321 "Reidsville, NC"  
27322 "Reidsville, NC"  
27323 "Reidsville, NC"

27325 "Robbins, NC"  
27326 "Ruffin, NC"  
27330 "Sanford, NC"  
27331 "Sanford, NC"  
27340 "Saxapahaw, NC"  
27341 "Seagrove, NC"  
27342 "Sedalia, NC"  
27343 "Semora, NC"  
27344 "Siler City, NC"  
27349 "Snow Camp, NC"  
27350 "Sophia, NC"  
27351 "Southmont, NC"  
27355 "Staley, NC"  
27356 "Star, NC"  
27357 "Stokesdale, NC"  
27358 "Summerfield, NC"  
27359 "Swepsonville, NC"  
27360 "Thomasville, NC"  
27361 "Thomasville, NC"  
27370 "Trinity, NC"  
27371 "Troy, NC"  
27373 "Wallburg, NC"  
27374 "Welcome, NC"  
27375 "Wentworth, NC"  
27376 "West End, NC"  
27377 "Whitsett, NC"  
27379 "Yanceyville, NC"  
27400 "Greensboro, NC"  
27401 "Greensboro, NC"  
27402 "Greensboro, NC"  
27403 "Greensboro, NC"  
27404 "Greensboro, NC"  
27405 "Greensboro, NC"  
27406 "Greensboro, NC"  
27407 "Greensboro, NC"  
27408 "Greensboro, NC"  
27409 "Greensboro, NC"  
27410 "Greensboro, NC"  
27411 "Greensboro, NC"  
27412 "Greensboro, NC"  
27415 "Greensboro, NC"  
27416 "Greensboro, NC"  
27417 "Greensboro, NC"  
27419 "Greensboro, NC"  
27420 "Greensboro, NC"  
27425 "Greensboro, NC"  
27427 "Greensboro, NC"  
27429 "Greensboro, NC"  
27435 "Greensboro, NC"  
27438 "Greensboro, NC"  
27480 "Greensboro, NC"  
27495 "Greensboro, NC"  
27498 "Greensboro, NC"  
27499 "Greensboro, NC"  
27501 "Angier, NC"

27502 "Apex, NC"  
27503 "Bahama, NC"  
27504 "Benson, NC"  
27505 "Broadway, NC"  
27506 "Buies Creek, NC"  
27507 "Bullock, NC"  
27508 "Bunn, NC"  
27509 "Butner, NC"  
27510 "Carrboro, NC"  
27511 "Cary, NC"  
27512 "Cary, NC"  
27513 "Cary, NC"  
27514 "Chapel Hill, NC"  
27515 "Chapel Hill, NC"  
27516 "Chapel Hill, NC"  
27518 "Cary, NC"  
27519 "Cary, NC"  
27520 "Clayton, NC"  
27521 "Coats, NC"  
27522 "Creedmoor, NC"  
27523 "Eagle Rock, NC"  
27524 "Four Oaks, NC"  
27525 "Franklinton, NC"  
27526 "Fuquay-Varina, NC"  
27529 "Garner, NC"  
27530 "Goldsboro, NC"  
27531 "Goldsboro, NC"  
27532 "Goldsboro, NC"  
27533 "Goldsboro, NC"  
27536 "Henderson, NC"  
27540 "Holly Springs, NC"  
27541 "Hurdle Mills, NC"  
27542 "Kenly, NC"  
27543 "Kipling, NC"  
27544 "Kittrell, NC"  
27545 "Knightdale, NC"  
27546 "Lillington, NC"  
27549 "Louisburg, NC"  
27551 "Macon, NC"  
27552 "Mamers, NC"  
27553 "Manson, NC"  
27555 "Micro, NC"  
27556 "Middleburg, NC"  
27557 "Middlesex, NC"  
27559 "Moncure, NC"  
27560 "Morrisville, NC"  
27562 "New Hill, NC"  
27563 "Norlina, NC"  
27564 "Creedmoor, NC"  
27565 "Oxford, NC"  
27568 "Pine Level, NC"  
27569 "Princeton, NC"  
27570 "Ridgeway, NC"  
27571 "Rolesville, NC"  
27572 "Rougemont, NC"

27573 "Roxboro, NC"  
27576 "Selma, NC"  
27577 "Smithfield, NC"  
27581 "Stem, NC"  
27582 "Stovall, NC"  
27583 "Timberlake, NC"  
27584 "Townsville, NC"  
27586 "Vaughan, NC"  
27587 "Wake Forest, NC"  
27589 "Warrenton, NC"  
27591 "Wendell, NC"  
27592 "Willow Spring, NC"  
27593 "Wilson's Mills, NC"  
27594 "Wise, NC"  
27596 "Youngsville, NC"  
27597 "Zebulon, NC"  
27599 "Chapel Hill, NC"  
27600 "Raleigh, NC"  
27601 "Raleigh, NC"  
27602 "Raleigh, NC"  
27603 "Raleigh, NC"  
27604 "Raleigh, NC"  
27605 "Raleigh, NC"  
27606 "Raleigh, NC"  
27607 "Raleigh, NC"  
27608 "Raleigh, NC"  
27609 "Raleigh, NC"  
27610 "Raleigh, NC"  
27611 "Raleigh, NC"  
27612 "Raleigh, NC"  
27613 "Raleigh, NC"  
27614 "Raleigh, NC"  
27615 "Raleigh, NC"  
27619 "Raleigh, NC"  
27620 "Raleigh, NC"  
27621 "Raleigh, NC"  
27622 "Raleigh, NC"  
27623 "Raleigh, NC"  
27624 "Raleigh, NC"  
27625 "Raleigh, NC"  
27626 "Raleigh, NC"  
27627 "Raleigh, NC"  
27628 "Raleigh, NC"  
27629 "Raleigh, NC"  
27634 "Raleigh, NC"  
27635 "Raleigh, NC"  
27636 "Raleigh, NC"  
27640 "Raleigh, NC"  
27650 "Raleigh, NC"  
27656 "Raleigh, NC"  
27658 "Raleigh, NC"  
27661 "Raleigh, NC"  
27668 "Raleigh, NC"  
27690 "Raleigh, NC"  
27695 "Raleigh, NC"

27697 "Raleigh, NC"  
27698 "Raleigh, NC"  
27699 "Raleigh, NC"  
27700 "Durham, NC"  
27701 "Durham, NC"  
27702 "Durham, NC"  
27703 "Durham, NC"  
27704 "Durham, NC"  
27705 "Durham, NC"  
27706 "Durham, NC"  
27707 "Durham, NC"  
27708 "Durham, NC"  
27709 "Durham, NC"  
27710 "Durham, NC"  
27711 "Durham, NC"  
27712 "Durham, NC"  
27713 "Durham, NC"  
27717 "Durham, NC"  
27722 "Durham, NC"  
27801 "Rocky Mount, NC"  
27802 "Rocky Mount, NC"  
27803 "Rocky Mount, NC"  
27804 "Rocky Mount, NC"  
27805 "Aulander, NC"  
27806 "Aurora, NC"  
27807 "Bailey, NC"  
27808 "Bath, NC"  
27809 "Battleboro, NC"  
27810 "Belhaven, NC"  
27811 "Bellarthur, NC"  
27812 "Bethel, NC"  
27813 "Black Creek, NC"  
27814 "Blounts Creek, NC"  
27816 "Castalia, NC"  
27817 "Chocowinity, NC"  
27818 "Como, NC"  
27819 "Conetoe, NC"  
27820 "Conway, NC"  
27821 "Edward, NC"  
27822 "Elm City, NC"  
27823 "Enfield, NC"  
27824 "Engelhard, NC"  
27825 "Everetts, NC"  
27826 "Fairfield, NC"  
27827 "Falkland, NC"  
27828 "Farmville, NC"  
27829 "Fountain, NC"  
27830 "Fremont, NC"  
27831 "Garysburg, NC"  
27832 "Gaston, NC"  
27834 "Greenville, NC"  
27835 "Greenville, NC"  
27836 "Greenville, NC"  
27837 "Grimesland, NC"  
27838 "Gumberry, NC"

27839 "Halifax, NC"  
27840 "Hamilton, NC"  
27841 "Hassell, NC"  
27842 "Henrico, NC"  
27843 "Hobgood, NC"  
27844 "Hollister, NC"  
27845 "Jackson, NC"  
27846 "Jamesville, NC"  
27847 "Kelford, NC"  
27848 "Lasker, NC"  
27849 "Lewiston Woodville, NC"  
27850 "Littleton, NC"  
27851 "Lucama, NC"  
27852 "Macclesfield, NC"  
27853 "Margarettsville, NC"  
27854 "Milwaukee, NC"  
27855 "Murfreesboro, NC"  
27856 "Nashville, NC"  
27857 "Oak City, NC"  
27858 "Greenville, NC"  
27859 "Palmyra, NC"  
27860 "Pantego, NC"  
27861 "Parmele, NC"  
27862 "Pendleton, NC"  
27863 "Pikeville, NC"  
27864 "Pinetops, NC"  
27865 "Pinetown, NC"  
27866 "Pleasant Hill, NC"  
27867 "Potecasi, NC"  
27868 "Red Oak, NC"  
27869 "Rich Square, NC"  
27870 "Roanoke Rapids, NC"  
27871 "Robersonville, NC"  
27872 "Roxobel, NC"  
27873 "Saratoga, NC"  
27874 "Scotland Neck, NC"  
27875 "Scranton, NC"  
27876 "Seaboard, NC"  
27877 "Severn, NC"  
27878 "Sharpsburg, NC"  
27879 "Simpson, NC"  
27880 "Sims, NC"  
27881 "Speed, NC"  
27882 "Spring Hope, NC"  
27883 "Stantonsburg, NC"  
27884 "Stokes, NC"  
27885 "Swanquarter, NC"  
27886 "Tarboro, NC"  
27887 "Tillery, NC"  
27888 "Walstonburg, NC"  
27889 "Washington, NC"  
27890 "Weldon, NC"  
27891 "Whitakers, NC"  
27892 "Williamston, NC"  
27893 "Wilson, NC"

27894 "Wilson, NC"  
27895 "Wilson, NC"  
27897 "Woodland, NC"  
27898 "Elm City, NC"  
27906 "Elizabeth City, NC"  
27907 "Elizabeth City, NC"  
27909 "Elizabeth City, NC"  
27910 "Ahoskie, NC"  
27915 "Avon, NC"  
27916 "Aydlett, NC"  
27917 "Barco, NC"  
27919 "Belvidere, NC"  
27920 "Buxton, NC"  
27921 "Camden, NC"  
27922 "Cofield, NC"  
27923 "Coinjock, NC"  
27924 "Colerain, NC"  
27925 "Columbia, NC"  
27926 "Corapeake, NC"  
27927 "Corolla, NC"  
27928 "Creswell, NC"  
27929 "Currituck, NC"  
27930 "Hertford, NC"  
27931 "East Lake, NC"  
27932 "Edenton, NC"  
27935 "Eure, NC"  
27936 "Frisco, NC"  
27937 "Gates, NC"  
27938 "Gatesville, NC"  
27939 "Grandy, NC"  
27941 "Harbinger, NC"  
27942 "Harrellsville, NC"  
27943 "Hatteras, NC"  
27944 "Hertford, NC"  
27946 "Hobbsville, NC"  
27947 "Jarvisburg, NC"  
27948 "Kill Devil Hills, NC"  
27949 "Kitty Hawk, NC"  
27950 "Knotts Island, NC"  
27953 "Manns Harbor, NC"  
27954 "Manteo, NC"  
27956 "Maple, NC"  
27957 "Merry Hill, NC"  
27958 "Moyock, NC"  
27959 "Nags Head, NC"  
27960 "Ocracoke, NC"  
27962 "Plymouth, NC"  
27964 "Point Harbor, NC"  
27965 "Poplar Branch, NC"  
27966 "Powells Point, NC"  
27967 "Powellsville, NC"  
27968 "Rodanthe, NC"  
27969 "Roduco, NC"  
27970 "Roper, NC"  
27972 "Salvo, NC"

27973 "Shawboro, NC"  
27974 "Shiloh, NC"  
27976 "South Mills, NC"  
27978 "Stumpy Point, NC"  
27979 "Sunbury, NC"  
27980 "Tyner, NC"  
27981 "Wanchese, NC"  
27982 "Waves, NC"  
27983 "Windsor, NC"  
27985 "Winfall, NC"  
27986 "Winton, NC"  
28001 "Albemarle, NC"  
28002 "Albemarle, NC"  
28006 "Alexis, NC"  
28007 "Ansonville, NC"  
28009 "Badin, NC"  
28010 "Barium Springs, NC"  
28012 "Belmont, NC"  
28016 "Bessemer City, NC"  
28017 "Boiling Springs, NC"  
28018 "Bostic, NC"  
28019 "Caroleen, NC"  
28020 "Casar, NC"  
28021 "Cherryville, NC"  
28023 "China Grove, NC"  
28024 "Cliffside, NC"  
28025 "Concord, NC"  
28026 "Concord, NC"  
28031 "Cornelius, NC"  
28032 "Cramerton, NC"  
28033 "Crouse, NC"  
28034 "Dallas, NC"  
28036 "Davidson, NC"  
28037 "Denver, NC"  
28038 "Earl, NC"  
28039 "East Spencer, NC"  
28040 "Ellenboro, NC"  
28041 "Faith, NC"  
28042 "Fallston, NC"  
28043 "Forest City, NC"  
28052 "Gastonia, NC"  
28053 "Gastonia, NC"  
28054 "Gastonia, NC"  
28055 "Gastonia, NC"  
28071 "Gold Hill, NC"  
28072 "Granite Quarry, NC"  
28073 "Grover, NC"  
28074 "Harris, NC"  
28075 "Harrisburg, NC"  
28076 "Henrietta, NC"  
28077 "High Shoals, NC"  
28078 "Huntersville, NC"  
28079 "Indian Trail, NC"  
28080 "Iron Station, NC"  
28081 "Kannapolis, NC"

28082 "Kannapolis, NC"  
28086 "Kings Mountain, NC"  
28088 "Landis, NC"  
28089 "Lattimore, NC"  
28090 "Lawndale, NC"  
28091 "Lilesville, NC"  
28092 "Lincolnton, NC"  
28093 "Lincolnton, NC"  
28097 "Locust, NC"  
28098 "Lowell, NC"  
28101 "Mc Adenville, NC"  
28102 "Mc Farlan, NC"  
28103 "Marshville, NC"  
28105 "Matthews, NC"  
28106 "Matthews, NC"  
28107 "Midland, NC"  
28108 "Mineral Springs, NC"  
28109 "Misenheimer, NC"  
28110 "Monroe, NC"  
28114 "Mooresboro, NC"  
28115 "Mooresville, NC"  
28119 "Morven, NC"  
28120 "Mount Holly, NC"  
28123 "Mount Mourne, NC"  
28124 "Mount Pleasant, NC"  
28125 "Mount Ulla, NC"  
28126 "Newell, NC"  
28127 "New London, NC"  
28128 "Norwood, NC"  
28129 "Oakboro, NC"  
28130 "Paw Creek, NC"  
28133 "Peachland, NC"  
28134 "Pineville, NC"  
28135 "Polkton, NC"  
28136 "Polkville, NC"  
28137 "Richfield, NC"  
28138 "Rockwell, NC"  
28139 "Rutherfordton, NC"  
28144 "Salisbury, NC"  
28145 "Salisbury, NC"  
28150 "Shelby, NC"  
28151 "Shelby, NC"  
28159 "Spencer, NC"  
28160 "Spindale, NC"  
28163 "Stanfield, NC"  
28164 "Stanley, NC"  
28166 "Troutman, NC"  
28167 "Union Mills, NC"  
28168 "Vale, NC"  
28169 "Waco, NC"  
28170 "Wadesboro, NC"  
28173 "Waxhaw, NC"  
28174 "Wingate, NC"  
28200 "Charlotte, NC"  
28201 "Charlotte, NC"

28202 "Charlotte, NC"  
28203 "Charlotte, NC"  
28204 "Charlotte, NC"  
28205 "Charlotte, NC"  
28206 "Charlotte, NC"  
28207 "Charlotte, NC"  
28208 "Charlotte, NC"  
28209 "Charlotte, NC"  
28210 "Charlotte, NC"  
28211 "Charlotte, NC"  
28212 "Charlotte, NC"  
28213 "Charlotte, NC"  
28214 "Charlotte, NC"  
28215 "Charlotte, NC"  
28216 "Charlotte, NC"  
28217 "Charlotte, NC"  
28218 "Charlotte, NC"  
28219 "Charlotte, NC"  
28220 "Charlotte, NC"  
28221 "Charlotte, NC"  
28222 "Charlotte, NC"  
28223 "Charlotte, NC"  
28224 "Charlotte, NC"  
28225 "North Charlotte, NC"  
28226 "Charlotte, NC"  
28227 "Charlotte, NC"  
28228 "Charlotte, NC"  
28229 "Charlotte, NC"  
28230 "Charlotte, NC"  
28231 "Charlotte, NC"  
28232 "Charlotte, NC"  
28233 "Charlotte, NC"  
28234 "Charlotte, NC"  
28235 "Charlotte, NC"  
28236 "Charlotte, NC"  
28237 "Charlotte, NC"  
28241 "Charlotte, NC"  
28242 "Charlotte, NC"  
28243 "Charlotte, NC"  
28244 "Charlotte, NC"  
28245 "Charlotte, NC"  
28246 "Charlotte, NC"  
28247 "Sharon, NC"  
28250 "Charlotte, NC"  
28253 "Charlotte, NC"  
28255 "Charlotte, NC"  
28256 "Charlotte, NC"  
28257 "Charlotte, NC"  
28258 "Charlotte, NC"  
28259 "Charlotte, NC"  
28260 "Charlotte, NC"  
28261 "Charlotte, NC"  
28264 "Charlotte, NC"  
28265 "Charlotte, NC"  
28266 "Charlotte, NC"

28267 "Charlotte, NC"  
28272 "Charlotte, NC"  
28274 "Charlotte, NC"  
28275 "Charlotte, NC"  
28276 "Charlotte, NC"  
28279 "Charlotte, NC"  
28280 "Charlotte, NC"  
28281 "Charlotte, NC"  
28282 "Charlotte, NC"  
28283 "Charlotte, NC"  
28284 "Charlotte, NC"  
28285 "Charlotte, NC"  
28286 "Charlotte, NC"  
28287 "Charlotte, NC"  
28288 "Charlotte, NC"  
28289 "Charlotte, NC"  
28290 "Charlotte, NC"  
28294 "Charlotte, NC"  
28295 "Charlotte, NC"  
28296 "Charlotte, NC"  
28297 "Charlotte, NC"  
28299 "Charlotte, NC"  
28301 "Fayetteville, NC"  
28302 "Fayetteville, NC"  
28303 "Fayetteville, NC"  
28304 "Fayetteville, NC"  
28305 "Fayetteville, NC"  
28306 "Fayetteville, NC"  
28307 "Fayetteville, NC"  
28308 "Fayetteville, NC"  
28309 "Fayetteville, NC"  
28311 "Fayetteville, NC"  
28314 "Fayetteville, NC"  
28315 "Aberdeen, NC"  
28318 "Autryville, NC"  
28319 "Barnesville, NC"  
28320 "Bladenboro, NC"  
28323 "Bunnlevel, NC"  
28324 "Butters, NC"  
28325 "Calypso, NC"  
28326 "Cameron, NC"  
28327 "Carthage, NC"  
28328 "Clinton, NC"  
28330 "Cordova, NC"  
28331 "Cumberland, NC"  
28332 "Dublin, NC"  
28333 "Dudley, NC"  
28334 "Dunn, NC"  
28337 "Elizabethtown, NC"  
28338 "Ellerbe, NC"  
28339 "Erwin, NC"  
28340 "Fairmont, NC"  
28341 "Faison, NC"  
28342 "Falcon, NC"  
28343 "Gibson, NC"

28344 "Godwin, NC"  
28345 "Hamlet, NC"  
28347 "Hoffman, NC"  
28348 "Hope Mills, NC"  
28349 "Kenansville, NC"  
28350 "Lakeview, NC"  
28351 "Laurel Hill, NC"  
28352 "Laurinburg, NC"  
28355 "Lemon Springs, NC"  
28356 "Linden, NC"  
28357 "Lumber Bridge, NC"  
28358 "Lumberton, NC"  
28359 "Lumberton, NC"  
28361 "Raeford, NC"  
28362 "Marietta, NC"  
28363 "Marston, NC"  
28364 "Maxton, NC"  
28365 "Mount Olive, NC"  
28366 "Newton Grove, NC"  
28367 "Norman, NC"  
28368 "Olivia, NC"  
28369 "Orrum, NC"  
28371 "Parkton, NC"  
28372 "Pembroke, NC"  
28373 "Pinebluff, NC"  
28374 "Pinehurst, NC"  
28375 "Proctorville, NC"  
28376 "Raeford, NC"  
28377 "Red Springs, NC"  
28378 "Rex, NC"  
28379 "Rockingham, NC"  
28382 "Roseboro, NC"  
28383 "Rowland, NC"  
28384 "Saint Pauls, NC"  
28385 "Salemberg, NC"  
28386 "Shannon, NC"  
28387 "Southern Pines, NC"  
28390 "Spring Lake, NC"  
28391 "Stedman, NC"  
28392 "Tar Heel, NC"  
28393 "Turkey, NC"  
28394 "Vass, NC"  
28395 "Wade, NC"  
28396 "Wagram, NC"  
28397 "Wakulla, NC"  
28398 "Warsaw, NC"  
28399 "White Oak, NC"  
28401 "Wilmington, NC"  
28402 "Wilmington, NC"  
28403 "Wilmington, NC"  
28404 "Wilmington, NC"  
28405 "Wilmington, NC"  
28406 "Wilmington, NC"  
28407 "Wilmington, NC"  
28409 "Wilmington, NC"

28412 "Wilmington, NC"  
28420 "Ash, NC"  
28421 "Atkinson, NC"  
28422 "Bolivia, NC"  
28423 "Bolton, NC"  
28424 "Brunswick, NC"  
28425 "Burgaw, NC"  
28428 "Carolina Beach, NC"  
28429 "Castle Hayne, NC"  
28430 "Cerro Gordo, NC"  
28431 "Chadbourn, NC"  
28432 "Clarendon, NC"  
28433 "Clarkton, NC"  
28434 "Council, NC"  
28435 "Currie, NC"  
28436 "Delco, NC"  
28438 "Evergreen, NC"  
28439 "Fair Bluff, NC"  
28441 "Garland, NC"  
28442 "Hallsboro, NC"  
28443 "Hampstead, NC"  
28444 "Harrells, NC"  
28445 "Holly Ridge, NC"  
28446 "Ingold, NC"  
28447 "Ivanhoe, NC"  
28448 "Kelly, NC"  
28449 "Kure Beach, NC"  
28450 "Lake Waccamaw, NC"  
28451 "Leland, NC"  
28452 "Longwood, NC"  
28453 "Magnolia, NC"  
28454 "Maple Hill, NC"  
28455 "Nakina, NC"  
28456 "Riegelwood, NC"  
28457 "Rocky Point, NC"  
28458 "Rose Hill, NC"  
28459 "Shallotte, NC"  
28460 "Sneads Ferry, NC"  
28461 "Southport, NC"  
28462 "Supply, NC"  
28463 "Tabor City, NC"  
28464 "Teachey, NC"  
28465 "Southport, NC"  
28466 "Wallace, NC"  
28467 "Shallotte, NC"  
28468 "Shallotte, NC"  
28469 "Shallotte, NC"  
28470 "Shallotte, NC"  
28471 "Watha, NC"  
28472 "Whiteville, NC"  
28478 "Willard, NC"  
28479 "Winnabow, NC"  
28480 "Wrightsville Beach, NC"  
28501 "Kinston, NC"  
28502 "Kinston, NC"

28503 "Kinston, NC"  
28508 "Albertson, NC"  
28509 "Alliance, NC"  
28510 "Arapahoe, NC"  
28511 "Atlantic, NC"  
28512 "Atlantic Beach, NC"  
28513 "Ayden, NC"  
28515 "Bayboro, NC"  
28516 "Beaufort, NC"  
28518 "Beulaville, NC"  
28519 "Bridgeton, NC"  
28520 "Cedar Island, NC"  
28521 "Chinquapin, NC"  
28522 "Comfort, NC"  
28523 "Cove City, NC"  
28524 "Davis, NC"  
28525 "Deep Run, NC"  
28526 "Dover, NC"  
28527 "Ernul, NC"  
28528 "Gloucester, NC"  
28529 "Grantsboro, NC"  
28530 "Grifton, NC"  
28531 "Harkers Island, NC"  
28532 "Havelock, NC"  
28533 "Havelock, NC"  
28537 "Hobucken, NC"  
28538 "Hookerton, NC"  
28539 "Hubert, NC"  
28540 "Jacksonville, NC"  
28541 "Jacksonville, NC"  
28542 "Camp Lejeune, NC"  
28543 "Tarawa Terrace, NC"  
28544 "Jacksonville, NC"  
28545 "Jacksonville, NC"  
28546 "Jacksonville, NC"  
28551 "La Grange, NC"  
28552 "Lowland, NC"  
28553 "Marshallberg, NC"  
28554 "Maury, NC"  
28555 "Maysville, NC"  
28556 "Merritt, NC"  
28557 "Morehead City, NC"  
28560 "New Bern, NC"  
28561 "New Bern, NC"  
28562 "New Bern, NC"  
28570 "Newport, NC"  
28571 "Oriental, NC"  
28572 "Pink Hill, NC"  
28573 "Pollocksville, NC"  
28574 "Richlands, NC"  
28575 "Salter Path, NC"  
28577 "Sealevel, NC"  
28578 "Seven Springs, NC"  
28579 "Smyrna, NC"  
28580 "Snow Hill, NC"

28581 "Sealevel, NC"  
28582 "Stella, NC"  
28583 "Stonewall, NC"  
28584 "Swansboro, NC"  
28585 "Trenton, NC"  
28586 "Vanceboro, NC"  
28587 "Vandemere, NC"  
28589 "Williston, NC"  
28590 "Winterville, NC"  
28594 "Emerald Isle, NC"  
28601 "Hickory, NC"  
28602 "Hickory, NC"  
28603 "Hickory, NC"  
28604 "Banner Elk, NC"  
28605 "Blowing Rock, NC"  
28606 "Boomer, NC"  
28607 "Boone, NC"  
28608 "Boone, NC"  
28609 "Catawba, NC"  
28610 "Claremont, NC"  
28611 "Collettsville, NC"  
28612 "Connelys Springs, NC"  
28613 "Conover, NC"  
28614 "Cranberry, NC"  
28615 "Creston, NC"  
28616 "Crossnore, NC"  
28617 "Crumpler, NC"  
28618 "Deep Gap, NC"  
28619 "Drexel, NC"  
28621 "Elkin, NC"  
28622 "Elk Park, NC"  
28623 "Ennice, NC"  
28624 "Ferguson, NC"  
28626 "Fleetwood, NC"  
28627 "Glade Valley, NC"  
28628 "Glen Alpine, NC"  
28629 "Glendale Springs, NC"  
28630 "Granite Falls, NC"  
28631 "Grassy Creek, NC"  
28632 "Grayson, NC"  
28633 "Lenoir, NC"  
28634 "Harmony, NC"  
28635 "Hays, NC"  
28636 "Hiddenite, NC"  
28637 "Hildebran, NC"  
28638 "Hudson, NC"  
28639 "Husk, NC"  
28640 "Jefferson, NC"  
28641 "Jonas Ridge, NC"  
28642 "Jonesville, NC"  
28643 "Lansing, NC"  
28644 "Laurel Springs, NC"  
28645 "Lenoir, NC"  
28646 "Linville, NC"  
28647 "Linville Falls, NC"

28648 "Longisland, NC"  
28649 "Mc Grady, NC"  
28650 "Maiden, NC"  
28651 "Millers Creek, NC"  
28652 "Minneapolis, NC"  
28653 "Montezuma, NC"  
28654 "Moravian Falls, NC"  
28655 "Morganton, NC"  
28656 "North Wilkesboro, NC"  
28657 "Newland, NC"  
28658 "Newton, NC"  
28659 "North Wilkesboro, NC"  
28660 "Olin, NC"  
28661 "Patterson, NC"  
28662 "Pineola, NC"  
28663 "Piney Creek, NC"  
28664 "Plumtree, NC"  
28665 "Purlear, NC"  
28666 "Icard, NC"  
28667 "Rhodhiss, NC"  
28668 "Roaring Gap, NC"  
28669 "Roaring River, NC"  
28670 "Ronda, NC"  
28671 "Rutherford College, NC"  
28672 "Scottville, NC"  
28673 "Sherrills Ford, NC"  
28674 "North Wilkesboro, NC"  
28675 "Sparta, NC"  
28676 "State Road, NC"  
28677 "Statesville, NC"  
28678 "Stony Point, NC"  
28679 "Sugar Grove, NC"  
28681 "Taylorsville, NC"  
28682 "Terrell, NC"  
28683 "Thurmond, NC"  
28684 "Todd, NC"  
28685 "Traphill, NC"  
28686 "Triplett, NC"  
28688 "Turnersburg, NC"  
28689 "Union Grove, NC"  
28690 "Valdese, NC"  
28691 "Banner Elk, NC"  
28692 "Vilas, NC"  
28693 "Warrensville, NC"  
28694 "West Jefferson, NC"  
28695 "Whitehead, NC"  
28696 "Wilbar, NC"  
28697 "Wilkesboro, NC"  
28698 "Zionville, NC"  
28699 "Scotts, NC"  
28701 "Alexander, NC"  
28702 "Almond, NC"  
28703 "Aquone, NC"  
28704 "Arden, NC"  
28705 "Bakersville, NC"

28706 "Balfour, NC"  
28707 "Balsam, NC"  
28708 "Balsam Grove, NC"  
28709 "Barnardsville, NC"  
28710 "Bat Cave, NC"  
28711 "Black Mountain, NC"  
28712 "Brevard, NC"  
28713 "Bryson City, NC"  
28714 "Burnsville, NC"  
28715 "Candler, NC"  
28716 "Canton, NC"  
28717 "Cashiers, NC"  
28718 "Cedar Mountain, NC"  
28719 "Cherokee, NC"  
28720 "Chimney Rock, NC"  
28721 "Clyde, NC"  
28722 "Columbus, NC"  
28723 "Cullowhee, NC"  
28724 "Dana, NC"  
28725 "Dillsboro, NC"  
28726 "East Flat Rock, NC"  
28727 "Edneyville, NC"  
28728 "Enka, NC"  
28729 "Etowah, NC"  
28730 "Fairview, NC"  
28731 "Flat Rock, NC"  
28732 "Fletcher, NC"  
28733 "Fontana Dam, NC"  
28734 "Franklin, NC"  
28735 "Gerton, NC"  
28736 "Glenville, NC"  
28737 "Glenwood, NC"  
28738 "Hazelwood, NC"  
28739 "Hendersonville, NC"  
28740 "Greenmountain, NC"  
28741 "Highlands, NC"  
28742 "Horse Shoe, NC"  
28743 "Hot Springs, NC"  
28745 "Lake Junaluska, NC"  
28746 "Lake Lure, NC"  
28747 "Lake Toxaway, NC"  
28748 "Leicester, NC"  
28749 "Little Switzerland, NC"  
28750 "Lynn, NC"  
28751 "Maggie Valley, NC"  
28752 "Marion, NC"  
28753 "Marshall, NC"  
28754 "Mars Hill, NC"  
28755 "Micaville, NC"  
28756 "Mill Spring, NC"  
28757 "Montreat, NC"  
28758 "Mountain Home, NC"  
28760 "Naples, NC"  
28761 "Nebo, NC"  
28762 "Old Fort, NC"

28763 "Otto, NC"  
28765 "Penland, NC"  
28766 "Penrose, NC"  
28768 "Pisgah Forest, NC"  
28770 "Ridgecrest, NC"  
28771 "Robbinsville, NC"  
28772 "Rosman, NC"  
28773 "Saluda, NC"  
28774 "Sapphire, NC"  
28775 "Scaly Mountain, NC"  
28776 "Skyland, NC"  
28777 "Spruce Pine, NC"  
28778 "Swannanoa, NC"  
28779 "Sylva, NC"  
28780 "Tapoco, NC"  
28781 "Topton, NC"  
28782 "Tryon, NC"  
28783 "Tuckasegee, NC"  
28784 "Tuxedo, NC"  
28786 "Waynesville, NC"  
28787 "Weaverville, NC"  
28788 "Webster, NC"  
28789 "Whittier, NC"  
28790 "Zirconia, NC"  
28791 "Hendersonville, NC"  
28793 "Hendersonville, NC"  
28800 "Asheville, NC"  
28801 "Asheville, NC"  
28802 "Asheville, NC"  
28803 "Asheville, NC"  
28804 "Asheville, NC"  
28805 "Asheville, NC"  
28806 "Asheville, NC"  
28807 "Asheville, NC"  
28810 "Asheville, NC"  
28812 "Asheville, NC"  
28813 "Asheville, NC"  
28814 "Asheville, NC"  
28815 "Asheville, NC"  
28816 "Asheville, NC"  
28901 "Andrews, NC"  
28902 "Brasstown, NC"  
28903 "Culberson, NC"  
28904 "Hayesville, NC"  
28905 "Marble, NC"  
28906 "Murphy, NC"  
28909 "Warne, NC"

