Division of MH/DD/SA Services Consumer Data Warehouse (CDW) LOCAL MANAGEMENT ENTITIES-MANAGED CARE ORGANIZATIONS (LME-MCO) Reporting Requirements

July 1, 2015, Version 2.1

Overview

In July 1999, the Division of Mental Health/Developmental Disabilities/Substance Abuse Services (MH/DD/SAS) replaced the old Client Information System with a modern Consumer Data Warehouse (CDW). The CDW is the data repository for demographic, clinical, outcomes and satisfaction data about clients served by MH/DD/SAS. The data stored in the CDW is the primary source of information for Mental Health Block Grant (MHBG) and Substance Abuse Block Grant (SABG) reporting as well as Legislative requests. Additionally, the CDW provides a rich source of information for planning and evaluation of the MH/DD/SAS Services provided to the citizens of North Carolina.

In an effort to reduce data redundancy and to improve reporting capabilities the CDW is undergoing substantial changes in the area of data integration. In addition to the data submitted to the CDW by the LME-MCO's, data extracts taken from secondary data sources such as NCTRACKS, NC-TOPPS, and Consumer Satisfaction Surveys are now being integrated and stored in the CDW. The integration of these new data sources is possible through the utilization of the Department of Health and Human Services (DHHS) Common Name Data Service (CNDS).

This document contains the Reporting File Formats with associated data dictionary names and data value edits.

Summary of Key Characteristics of the CDW

- All data must be reported electronically; no paper forms are accepted
- Records with fatal errors (see File Format section below) will be returned to the LME-MCO electronically and must be resubmitted electronically.
- Data may be submitted daily, weekly, or monthly
- Data is expected to be updated annually; it must be sent more frequently than on admission
- Files must be sent in standard Electronic Data Interchange (EDI) format a single file with multiple record types, and should be ordered in the same sequence in which it was transacted.
- Data fields are either Mandatory or Optional
- "Data Dumps" are available upon request

File Formats

Data Element Edits

- 1. If a field is MANDATORY in the Reporting Requirements and a blank or invalid value is sent, the record will be rejected and returned to the LME-MCO electronically. The LME-MCO must then correct it and resubmit it electronically.
- 2. If a field is OPTIONAL in the Reporting Requirements, the record will be accepted without it and periodic reports will not be issued to indicate which of these data elements is missing. This field was included to conform with the recommendations of the Mental Health Statistical Improvement Program (MHSIP); it could be required in the future.
- 3. It is required that all alphanumeric fields be left-justified and padded with spaces to the right. It is required that numeric or integer fields be right-justified with leading zeroes.
- 4. All dates must be in the format yyyymmdd year, month, day
- Duplicate records: If an ADD record of any type is received with an LME-MCO number, client number, and applicable date e.g. admit date, discharge date, diagnosis effective date matching a record already in the database, the record received will be rejected as a duplicate and returned to the LME-MCO.
- 6. Client number = Case number
- 7. The Data Dictionary enclosed with this document provides detailed information about each data element. The data element will be listed under the 'Data Dictionary Data Code' as described in the tables. This dictionary is for reference only; please use information in the reporting requirements if there is an apparent discrepancy between the dictionary and the requirements.

File Structure

- 1. A minimum of one file from each LME-MCO for each month is expected, however files can be sent on a daily basis.
- 2. Different types of records within the file have different lengths but, unless otherwise indicated, the record length is fixed for a given record type. However, filler at the end of each record is not required.
- 3. All records should be separated by a carriage return (HEX 0D).
- 4. The records should be sequenced by client number i.e. all record types for one client should be together, and in the same order in which the transactions occurred.

5. An end of file marker must be present at the end of the file, after the Trailer Record. (HEX 1C).

Header Record - Mandatory Various records (record type 10 through 88) Trailer Record - Mandatory

- 6. All records updated or added in a month must be included in the monthly file; not just the latest ones for a consumer i.e. selection should be on last update date.
- 7. It is preferred that only those records that change are sent; however it is acceptable to send update records with no modified elements.

There are 12 possible records for transmission. These are:

Record Name	Record No.	Transmit Frequency
Header Record	00	Beg of file-Mandatory
Identifying Information	<mark>10, 30</mark>	Daily-Monthly
Screening Information (Discontinued)	71,72,73	Daily-Monthly
Demographics	11, 31, 81	Daily-Monthly
Consumer Episode Completion (Discharge) Details	12, 32, 82	Daily-Monthly
Diagnosis Details	<mark>13, 33, 83</mark>	Daily-Monthly
Disability Details (Discontinued)	14, 34, 84	Daily-Monthly
Special Population Details (Discontinued)	15, 35, 85	Daily-Monthly
Risk Factor Details (Discontinued)	16, 36, 86	Daily-Monthly
Substance Abuse Details	17, 37, 87	Daily-Monthly
Substance Abuse Treatment (Movement) Details	18, 38, 88	Daily-Monthly
Trailer Record	<mark>.99</mark>	End of file-Mandatory

1n = Add new record

3n = Update existing record

8n = Delete erroneously sent record; all fields on this record MUST match those on record being deleted or the delete record will be rejected.

Name Header Record Format

Description This record provides identifying information including the process date and the data source (LME-MCO).

Frequency First record of each file

Record Size 15 Bytes

Rules Mandatory in all files as first record

Send a record:

- in each file
- the LME-MCO/process date combination must be unique. If the same file is sent more than once i.e. with the same LME-MCO process date combination, the entire file will be rejected.

#	Data Name	Format	Data Dictionary	Mandatory /Optional	Position	Valid Values/Remarks
			Data Code			
1.	Record Type	Char(2)		Mandatory	1-2	'00' : Header
2.	LME-MCO	Char(5)	cons_area_pgm_fac + area_pgm_code	Mandatory	3-7	
3.	Process Date	Char(8)		Mandatory	8-15	YYYYMMDD - Date file is created

Name Trailer Record Format

Description This record provides identifying information including the LME-MCO, the process date and number of records being transmitted

Frequency Last record of each file

Record Size 25 Bytes

 Rules
 Mandatory in all files as last record

Send one record:

• in each file

#	Data Name	Format	Data Dictionary Data Code	Mandatory	Position	Valid Values
				/Optional		
1.	Record Type	Char(2)		Mandatory	1-2	'99' : Trailer
2.	LME-MCO	Char(5)	cons_area_pgm_fac +	Mandatory	3-7	
			area_pgm_code			
3.	Process Date	Char(8)		Mandatory	8-15	YYYYMMDD - Date file is created
4.	Total Number of Records	Num(10)		Mandatory	16-25	99999999999 - including header and trailer
						record

Name	Identifying Information
Description	This record provides identifying information about consumers. This data will be used to:
	• ensure that data received from different sources about the same consumer is associated with the same consumer in the warehouse and
	• facilitate sharing data with other state systems as necessary for statistical analysis and planning.
	This data will be stored in an encrypted format and will not be available on any reports or queries.
Frequency	Daily
Record Size	130 Bytes
Rules	Mandatory for all new consumers (clients).
	Send a record:
	• for each new consumer
	• when a new identifier is collected or
	• the existing identifier information is modified
Notes	1. This record can be sent in one of two alternate formats
	2. All of the different identifiers are described in the Data Dictionary under the data element 'Identifier'.

Format 1

#	Data Name	Format	Data Dictionary Data Code	Key	Mandatory	Position	Valid Values
				Field	/Optional		
1.	Record Type	Char(2)			Mandatory	1-2	'10' : Add
							'30' : Update
2.	Identifier Type 01	Char(1)	identifier_type	Yes	Mandatory	3	'A' : LME-MCO
3.	LME-MCO	Char(5)	cons_area_pgm_fac + area_pgm_code	Yes	Mandatory	4-8	
4.	Client Number	Char(10)	cons_id_identifier	Yes	Mandatory	9-18	LME-MCO Client Record
							Number - Case Number
5.	Identifier Type 02	Char(1)	identifier_type		Mandatory	19	'U' : Unique Identifier
6.	Unique Identifier	Char(15)	cons_id_identifier		Mandatory	20-34	Used by most DMH systems -
							consists of first three characters of
							last (maiden) name, first character
							of first name, six character birth
							date, and an identifier if more than
							one consumer with same id
7.	Identifier Type 03	Char(1)	identifier_type		Optional	35	'S' : SSN
							Blank

#	Data Name	Format	Data Dictionary Data Code	Key Field	Mandatory /Optional	Position	Valid Values
8.	SSN	Char(15)	cons_id_identifier		Mandatory if the previous field = 'S'	36-50	Nine digit numeric Encrypted
9.	Identifier Type 04	Char(1)	identifier_type		Optional	51	'D' : Driver License Blank
10.	Driver License	Char(15)	cons_id_identifier		Mandatory if the Previous field = 'D'	52-66	Non Blank
11.	Identifier Type 05	Char(1)	identifier_type		Optional	67	'M' : Medicaid / <mark>CNDS</mark> Blank
12.	Medicaid Number	Char(15)	cons_id_identifier		Mandatory if the previous field = 'M'	68-82	Non Blank Encrypted
13.	Identifier Type 06	Char(1)	identifier_type		Optional	83-83	'R' : Medicare Blank
14.	Medicare Number	Char(15)	cons_id_identifier		Mandatory if the previous field = 'R'	84-98	Non Blank Encrypted
15.	Identifier Type 07	Char(1)	identifier_type		Future	99	
16.	Identifier	Char(15)	cons_id_identifier		Future	100-114	
17.	Identifier Type 08	Char(1)	identifier_type		Future	115	
18.	Identifier	Char(15)	cons_id_identifier		Future	116-130	

Identifying Information: Format 2

#	Data Name	Format	Data Dictionary Data Code	Key Field	Mandatory /Optional	Position	Valid Values
1.	Record Type	Char(2)			Mandatory	1-2	'10' : Add
							'30' : Update
2.	Identifier Type 01	Char(1)	identifier_type	Yes	Mandatory	3	'A' : LME-MCO
3.	LME-MCO	Char(5)	cons_area_pgm_fac + area_pgm_code	Yes	Mandatory	4-8	
4.	Client Number	Char(10)	cons_id_identifier	Yes	Mandatory	9-18	LME-MCO Client Record Number - Case Number
5.	Identifier Type 02	Char(1)	identifier_type		Mandatory	19	'U' : Unique Identifier
6.	Unique Identifier	Char(15)	cons_id_identifier		Mandatory	20-34	Used by most DMH systems - consists of first three characters of last (maiden) name, first character of first name, six character birth date, and an identifier if more than one consumer with same id
7.	Identifier Type	Char(1)	identifier_type		Optional	35	Valid Values 'U', 'S', 'D', 'M' and 'R'
8.	Identifier	Char(15)	cons_id_identifier		Mandatory if the previous field is non blank	36-50	This field should contain the value base on the contents of the previous filed. If the previous field is:
							 'S': Encrypted Social Security Number 'D': Drivers License Number 'M': Encrypted Medicaid / CNDS Number 'R': Encrypted Medicare Number

Note: Fields 7,8 can occur 4 times to send a variety of identifiers in one record.

Name	Screening. This record is now optional. DMH/DD/SAS no longer requires that these records (71, 72, 73) be sent.
Description	This record provides screening, triage and descriptive information about consumers.
	Discontinued

Frequency Daily; <u>D1SCONtINUED</u>

Record Size 108 Bytes

Rules

Optional record for all persons requesting a new episode of care

Send a record :

• When a screening has occurred and the client is not already being served by the LME-MCO or Contract Provider

#	Data Name	Format	Data Dictionary	Key	Mandatory	Position	Valid Values/Remarks
			Data Code	Field	/Optional		
1	Record Type	Char(2)			Mandatory 	<mark>1-2</mark>	'71' : Add '72' : Update
							[•] 73' : Delete
<mark>2</mark>	LME-MCO	Char(5)	<pre>cons_area_pgm_fac + area_pgm_code</pre>	Yes	Mandatory	<mark>3-7</mark>	
<mark>3</mark>	Client Number	Char(10)	<pre>cons_id_identifier</pre>	Yes	<mark>Mandatory</mark>	<mark>8-17</mark>	Case Number
<mark>4</mark>	Screening Date	Char(8)	cons_scr_date	Yes	<mark>Mandatory</mark>	<mark>18-25</mark>	YYYYMMDD
<mark>5</mark>	Access/Triage Timeline	Char(1)	access_timeline		Mandatory 	<mark>26</mark>	E=Emergent, R=Routine, N=Non
							Threshold, U=Urgent
<mark>6</mark>	Where Referred After	Char(1)	where_ref_after_triag		Mandatory 	<mark>27</mark>	E=Enhanced, B=Basic Benefit,
	Triage						C=Community Resources,
							R=Crisis
<mark>7</mark>	Screening Time Begin	Char (4)	screen_time_begin		<mark>Mandatory</mark>	<mark>28-31</mark>	HHMM
<mark>8</mark>	Screening Time End	Char (4)	screen_time_end		Mandatory Mandatory	<mark>32-35</mark>	HHMM HHMM
<mark>9</mark>	Screening Method	Char (1)	screen_method		Mandatory	<mark>36</mark>	F=Face to Face, T=Telephonic
<mark>10</mark>	County of Residence	Char (3)	screen_county_resid		Mandatory	<mark>37-39</mark>	
<mark>11</mark>	Currently Enrolled In Medicaid	Char (1)	screen_medicaid_enrollment		Mandatory	<mark>40</mark>	N=No, Y=Yes
<mark>12</mark>	Presenting Age/Disability	Char (2)	screen_pres_agedis_prob1		Mandatory	<mark>41-42</mark>	AM=Adult Mental Health
	Problem 1						CM=Child Mental Health
							AD=Adult Developmental
							Disability
							CD=Child Developmental
							<mark>Disability</mark>
							AS=Adult Substance Abuse
							CS=Child Substance Abuse

<mark>#</mark>	<mark>Data Name</mark>	<mark>Format</mark>	<mark>Data Dictionary</mark> Data Code	<mark>Key</mark> Field	<mark>Mandatory/</mark> Optional	Position	Valid Values/Remarks
13	Presenting Age/Disability Problem 2	Char (2)	screen_pres_agedis_prob2		Mandatory if applicable	43-44	AM=Adult Mental Health CM=Child Mental Health AD=Adult Developmental Disability CD=Child Developmental Disability AS=Adult Substance Abuse CS=Child Substance Abuse
14	Presenting Age/Disability Problem 3	Char (2)	screen_pres_agedis_prob3		Mandatory if applicable	<mark>45-46</mark>	AM=Adult Mental Health CM=Child Mental Health AD=Adult Developmental Disability CD=Child Developmental Disability AS=Adult Substance Abuse CS=Child Substance Abuse
15	Appointment Date	Char (8)	appoint_date		Mandatory if data item 6 is E, R	<mark>47-54</mark>	YYYYMMDD
<mark>16</mark>	Appointment Time	Char (4)	appoint_time		Mandatory if data item 6 is E, R	<mark>55-58</mark>	HHMM
<mark>17</mark>	How Provider Chosen	Char (1)	prov_chos_how		Mandatory	<mark>59</mark>	1-4
<mark>18</mark>	Why Provider Chosen	Char (2)	prov_chos_why		Mandatory	<mark>60-61</mark>	<mark>01-09</mark>
<mark>19</mark>	Accommodation of Special Consumer Needs	Char (2)	accom_for_handi		Mandatory	<mark>62-63</mark>	<mark>01-99</mark>
<mark>20</mark>	Active Military, Reserve, National Guard Status	Char (1)	active_military_status		Mandatory	<mark>64</mark>	<mark>1-3</mark>
<mark>21</mark>	Active Military Operation	Char (1)	active_military_operation		Mandatory 	<mark>65</mark>	<u>1-4</u>
<mark>22</mark>	Proficient in English	Char (1)	english-proficiency		Mandatory 	<mark>66</mark>	N=No Y=Yes
<mark>23</mark>	Primary Language	Char (1)	primary_language		<mark>Mandatory</mark>	<mark>67</mark>	E,L,F,S,O,N
<mark>24</mark>	Filler	Char (41)			Optional	<mark>68-108</mark>	Spaces

Name	Demographics
Description	This record provides admission and descriptive information about consumers.
Frequency	Daily
Record Size	158 Bytes
Rules	Mandatory for all new consumers (clients) who are a presumed member of a Benefit Plan or are receiving Crisis Services.
	Send a record :
	• for each new consumer (episode of care)
	• when new data is collected

- when the existing demographic information is modified
- when an admission is deleted
- at the consumer's annual update

#	Data Name	Format	Data Dictionary	Key	Mandatory	Position	Valid Values/Remarks
			Data Code	Field	/Optional		
1.	Record Type	Char(2)			Mandatory	1-2	'11' : Add
							'31' : Update
							'81' : Delete
	LME-MCO	Char(5)	cons_area_pgm_fac + area_pgm_code	Yes	Mandatory	3-7	
3.	Client Number	Char(10)	cons_id_identifier	Yes	Mandatory	8-17	Case Number
4.	Admission Date	Char(8)	cons_adm_date	Yes	Mandatory	18-25	YYYYMMDD
5.	County of Residence	Char(3)	cons_county_reside; county_code		Mandatory	26-28	
6.	Date of Birth	Char(8)	cons_date_of_birth		Mandatory	29-36	Mandatory for Add and Update
7.	Ethnicity	Char(2)	ethnicity		Mandatory	37-38	
8.	Marital Status	Char(1)	marital_status		Mandatory	39	
9.	Race	Char(1)	race		Mandatory	40	
10.	Gender	Char(1)	gender		Mandatory	41	
11.	State of Residence	Char(2)	state_of_residence		Optional	42-43	
12.	Ability to Pay	Char(1)	ability_to_pay		Optional	44	"U"=unknown
13.	Commitment Status	Char(3)	commit_status_ap		Optional	45-47	
14.	Competency Status	Char(1)	competency_status		Optional	48	
15.	Court Order Type	Char(1)	court_order_type		Optional	49	7 = Assessment & evaluation
	-						8 = Evaluation & treatment
							9 = Treatment
							0=None

#	Data Name	Format	Data Dictionary Data Code	Key Field	Mandatory /Optional	Position	Valid Values/Remarks
16.	Employer Assisted Program (EAP) Employer Code	Char(3)	eap_code		Optional	50-52	
17.	Education Level at Admission	Char(2)	education_level		Mandatory	53-54	
18.	Employment Status	Char(2)	employment_status		Mandatory	55-56	
19.	Living Arrangement	Char(2)	living_arrang		Mandatory	57-58	
20.	Admission Referral Source	Char(2)	adm_ref_src		Mandatory	59-60	
21.	Military Status	Char(1)	veteran_status		Mandatory	61	1-4
22.	Consumer Status	Char(1)	consv_status		Mandatory	62	Send 'D' if admission is to be deleted for record type '31'
23.	Consumer Status Date	Char(8)	cons_status_date		Mandatory	63-70	YYYYMMDD
24.	Last Served Date	Char(8)	cons_last_served_date		Optional	71-78	YYYYMMDD must be >= Admit Date and <= Discharge Date, if present
25.	Accommodation for Special Needs	Char(2)	accomm_for_handi		Optional	<mark>79-80</mark>	
26.	English Proficiency	Char(1)	english_proficiency		Mandatory	81	N=No Y=Yes
27.	Primary Language	Char(1)	primary_language		Mandatory	82	E,L,F,S,O,N
28.	Legally Responsible Person	Char(2)	legally_resp_person		Optional	83-84	
29.	Zip Code	Char(9)	zipcode		Mandatory	85-93	
30.	Family Income	Char(8)	family_income		Mandatory if Non- Medicaid	94-101	
31.	Family Size	Char(2)	family_size		Mandatory if Non- Medicaid	102-103	
32.	Admission	Char(2)	arrests_30_days		Mandatory	104-105	
33.	Health/Medical Insurance	Char (1)	health_med_ins		Mandatory	106	1-9

#	Data Name	Format	Data Dictionary Data Code	Key Field	Mandatory /Optional	Position	Valid Values/Remarks
34.	Frequency of Attendance	Char(2)	attn_self_help		Mandatory	107-108	
35.	Accommodation of Special Consumer Needs – None/Not Applicable	Char (1)	accomm_spec_cons_need1		Mandatory	109	1=Consumer has special needs and at least one special need is detailed in fields 36-44. 2=Consumer has no special needs
36.	Accommodation of Special Consumer Needs – Wheelchair/Mobility Needs	Char (1)	accomm_spec_cons_need2		Mandatory	110	1=Yes, 2=No
37.	Accommodation of Special Consumer Needs - Childcare	Char (1)	accomm_spec_cons_need3		Mandatory	111	1=Yes, 2=No
38.	Accommodation of Special Consumer Needs – Frail Senior	Char (1)	accomm_spec_cons_need4		Mandatory	112	1=Yes, 2=No
39.	Accommodation of Special Consumer Needs – Sign Language Interpreter	Char (1)	accomm_spec_cons_need5		Mandatory	113	1=Yes, 2=No
40.	Accommodation of Special Consumer Needs – Visually Impaired	Char (1)	accomm_spec_cons_need6		Mandatory	114	1=Yes, 2=No
41.	Accommodation of Special Consumer Needs – Foreign Language Interpreter	Char (1)	accomm_spec_cons_need7		Mandatory	115	1=Yes, 2=No
42.	Accommodation of Special Consumer Needs – Deaf/Hearing Impaired	Char (1)	accomm_spec_cons_need8		Mandatory	116	1=Yes, 2=No
43.	Accommodation of Special Consumer Needs – Physical Disability	Char (1)	accomm_spec_cons_need9		Mandatory	117	1=Yes, 2=No
44.	Accommodation of Special Consumer Needs - Other	Char (1)	accommo_spec_cons_need10		Mandatory	118	1=Yes, 2=No
45.	Traumatic Brain Injury	Char (1)	traumatic_brain_injury		Mandatory	119	1-3
46.	Filler	Char (39)			Optional	120-158	Spaces

Name Consumer Episode Completion (Discharge) Details

Description This record provides information on discharged consumers.

Frequency Daily

Record Size 70 Bytes

Rules This record is mandatory for all consumers who have completed an episode of care (discharged) during the reporting period.

Send a record

• When a client completes an episode of care (discharged) during the report period. An episode of care is defined by the end of service (60 days uninterrupted time period when there is no billable service for the client NCTRACKS or Medicaid). Substance Abuse client who are identified as appropriate to report to the TEDS (Treatment Episodes Data System) will receive particular scrutiny by being identified in a tracking report and monitored in the Performance Contract.

#	Data Name	Format	Data Dictionary	Key	Mandatory	Position	Valid Values/Remarks
			Data Code	Field	/Optional		
1.	Record Type	Char(2)			Mandatory	1-2	'12': Add
							'32': Update
							'82': Delete
2.	LME-MCO	Char(5)	cons_area_pgm_fac + area_pgm_code	Yes	Mandatory	3-7	
3.	Client Number	Char(10)	cons_id_identifier	Yes	Mandatory	8-17	Case Number
4.	Discharge Date	Char(8)	cons_status_date		Mandatory	18-25	YYYYMMDD
							must be >= Admit Date
5.	Discharge Reason	Char(1)	dischv_reason		Mandatory	26	
6.	Discharge Referral To	Char(2)	dischv_ref_src; adm_ref_src		Mandatory	27-28	
7.	Discharge Living Arrangement	Char(2)	living_arrang		Mandatory	29-30	
8.	Discharge Employment Status	Char(2)	employment_status		Mandatory	31-32	
9.	Arrests In The 30 days Prior To	Char(2)	arrests_30_days		Mandatory	33-34	
	Discharge						
10.	Date of Last Service	Char (8)	cons_last_served_date		Mandatory	35-42	YYYYMMDD
							must be >= Admit Date and <=
							Last Discharge Date
11.	Frequency of Attendance	Char(2)	attn_self_help		Mandatory	43-44	
12.	Filler	Char(26)			Optional	45-70	Spaces

Name Diagnosis Details (This record is required for selected clients). DMH/DD/SAS requires that these records (13, 33, 83) be sent for clients that have an admission record, but for whom a diagnosis cannot be obtained because a paid claim cannot be matched.

Description This record provides diagnostic information about consumers.

Frequency Daily

Record Size 60 Bytes

Rules Send a record

- if the end date is updated for a diagnosis i.e. it is determined that a diagnosis is no longer appropriate for a consumer
- for clients for whom an NCTRACKS or Medicaid claim cannot be matched
- for clients for whom there has been a 60 day break in service but the client is still active

#	Data Name	Format	Data Dictionary	Key	Mandatory	Position	Valid Values/Remarks
			Data Code	Field	/Optional		
1.	Record Type	Char(2)			Mandatory	1-2	'13' : Add
							'33' : Update
							'83' : Delete
2.	LME-MCO	Char(5)	cons_area_pgm_fac + area_pgm_code	Yes	Mandatory	3-7	
3.	Client Number	Char(10)	cons_id_identifier	Yes	Mandatory	8-17	Case Number
4.	Diagnosis Effective Date	Char(8)	diag_start_date	Yes	Mandatory	18-25	YYYYMMDD
5.	Diagnosis Order	Char(1)	diagv_class	Yes	Mandatory	26	Order of Importance
							1-9, A-Z
							1 = (Principal)
							2 or greater = (Additional)
6.	Diagnosis Code	Char(10)	diagv_code_num	Yes	Mandatory	27-36	Do not send decimals. Diagnosis
							must begin with an alpha character
							when using ICD-10.
7.	Diagnosis Axis Code	Char(1)	diagv_axis_code	Yes	Optional	37	
8.	Pregnancy Status	Char(1)	Stored as		Mandatory	38	Y = Yes
			special population = 'P'		if Gender =		N = No
			specv_type		'F'		
9.	Diagnosis End Date	Char(8)	diag_end_date		Optional	39-46	If sent, in YYYYMMDD format.
							Cannot be future date.
10.	Filler	Char(14)			Optional	47-60	Spaces

Name Disability Details (This record is optional). DMH/DD/SAS no longer requires that these records (14, 34, 84) be sent.

Description This record provides disability information about consumers.

Frequency Daily

Record Size 70 Bytes

Rules

Send a record

- for each new disability identified during the reporting period for each consumer
- for any disability information updated during the reporting period

Discontinued

• if you choose to report, all current processing rules will remain in effect

#	Data Name	Format	Data Dictionary	Key	Mandatory	Position	Valid Values/Remarks
			Data Code	Field	/Optional		
1.	Record Type	Char(2)			Mandatory	1-2	'14' : Add
							'34' : Update
							'84' : Delete
2.	LME-MCO	Char(5)	cons_area_pgm_fac + area_pgm_code	Yes	Mandatory	3-7	
3.	Client Number	Char(10)	cons_id_identifier	Yes	Mandatory	8-17	Case Number
4.	Disability Start Date	Char(8)	disa_start_date	Yes	Mandatory	18-25	YYYYMMDD
5.	Disability Class	Char(1)	disav_class	Yes	Mandatory	26	
6.	Disability Code	Char(2)	disav_code	Yes	Mandatory	27-28	
7.	Disability Level of Eligibility	Char(1)	disav_loe		Mandatory	29	If value of '5' then at least one
	(LOE)						assessment scale must be NC-
							SNAP
							If value of 'H' then at least one
							assessment scale must be ASAM.
8.	Disability Functional	Char(3)	disa_fa_score		Required for	30-32	
	Assessment Score 1				Primary;		
					else		
					Optional		
9.	Disability Functional	Char(8)	disa_fa_date		Required for	33-40	YYYYMMDD
	Assessment Date 1				Primary;		
					else		
					Optional		

#	Data Name	Format	Data Dictionary Data Code	Key Field	Mandatory /Optional	Position	Valid Values/Remarks
10.	Disability Functional Assessment Scale 1	Char(1)	disav_fa_scale		Required for Primary; else Optional	41	
11.	Disability Functional Assessment Score 2	Char(3)	disa_fa_score		Optional	42-44	
12.	Disability Functional Assessment Date 2	Char(8)	disa_fa_date		Optional	45-52	YYYYMMDD
13.	Disability Functional Assessment Scale 2	Char(1)	disav_fa_scale		Optional	53	
14.	Disability End Date	Char(8)	disa_end_date		Optional	54-61	If sent, in YYYYMMDD format. Future dates permitted for compliance with NCTRACKS.
15.	Filler	Char(10)			Optional	61-70	Spaces

Name	Special Population Details (This record is optional). DMH/DD/SAS no longer requires that these records (15,35,85) be sent.
Description	One record is provided for each special population to which a consumer belongs. Any number of special population records can be sent for a consumer.
Frequency	Daily Discontinued
Record Size	40 Bytes
Rules	
	Send a record
	 this record is required only if a consumer belongs to a special population as defined in the Data Dictionary, it is not required for every consumer

- for each special population identified for a consumer during the reporting period
- when an existing special population is no longer valid for a consumer
- if you choose to report, all current processing rules will remain in effect

*Note: For female clients with principle or primary diagnosis of substance abuse, and pregnancy status of 'Y', **this record will automatically be generated by our system**, however sending a '15' will not result in an error.

#	Data Name	Format	Data Dictionary	Key	Mandatory	Position	Valid Values/Remarks
			Data Code	Field	/Optional		
1.	Record Type	Char(2)			Mandatory	1-2	'15' : Add
							'35' : Update
							'85' : Delete
2.	LME-MCO	Char(5)	cons_area_pgm_fac + area_pgm_code	Yes	Mandatory	3-7	
3.	Client Number	Char(10)	cons_id_identifier	Yes	Mandatory	8-17	Case Number
4.	Special Population Type	Char(1)	specv_type	Yes	Mandatory	18	
5.	Special Population Start Date	Char(8)	spec_start_date	Yes	Mandatory	19-26	YYYYMMDD
6.	Special Population End Date	Char(8)	spec_end_date		Optional	27-34	If sent, in YYYYMMDD format
							Cannot be future date.
7.	Filler	Char(6)			Optional	35-40	Spaces

Name	Risk Factor Details(This	s record is optional). DMH/DD/SAS no longer requires that these records (16, 36, 86) be sent.
Description	Up to 12 risk factors can	be identified for a child. These are used for the Governor's At Risk Report.
Frequency	Daily	Discontinued
Record Size	50 Bytes	

Record Size

Rules

Send one record

- this record is required only if a consumer is in one of these Risk groups as defined in the Data Dictionary, it is not required for • every consumer
- when the risk factors are collected or updated for a consumer during the reporting period ٠
- if record is provided, at least one Risk Factor is expected ٠
- update record replaces all existing risk factors ٠

#	Data Name	Format	Data Dictionary	Key	Mandatory	Position	Valid Values/Remarks
			Data Code	Field	/Optional		
1.	Record Type	Char(2)			Mandatory	1-2	'16' : Add
							'36' : Update
							'86' : Delete
2.	LME-MCO	Char(5)	cons_area_pgm_fac + area_pgm_code	Yes	Mandatory	2-7	
3.	Client Number	Char(10)	cons_id_identifier	Yes	Mandatory	8-17	Case Number
4.	Risk Factor 1	Char(2)	riskv_factor		Mandatory	18-19	
5.	Risk Factor 2	Char(2)	riskv_factor		Optional	20-21	
6.	Risk Factor 3	Char(2)	riskv_factor		Optional	22-23	
7.	Risk Factor 4	Char(2)	riskv_factor		Optional	24-25	
8.	Risk Factor 5	Char(2)	riskv_factor		Optional	26-27	
9.	Risk Factor 6	Char(2)	riskv_factor		Optional	28-29	
10.	Risk Factor 7	Char(2)	riskv_factor		Optional	30-31	
11.	Risk Factor 8	Char(2)	riskv_factor		Optional	32-33	
12.	Risk Factor 9	Char(2)	riskv_factor		Optional	34-35	
13.	Risk Factor 10	Char(2)	riskv_factor		Optional	36-37	
14.	Risk Factor 11	Char(2)	riskv_factor		Optional	38-39	
15.	Risk Factor 12	Char(2)	riskv_factor		Optional	40-41	
16.	Filler	Char(9)			Optional	42-50	Spaces

Name Substance Abuse (Drug of Choice) Details

Description This record provides substance abuse information for all consumers who receive a substance abuse service (SA Benefit Plan or SA Principal Diagnosis). It is required within 60 days of beginning date of service for clients enrolled in a SA Benefit Plan or SA Principal Diagnosis and it also required when a substance abuse client is discharged.

Frequency Daily

Record Size 50 Bytes

Rules Send a record

- for any new consumer who receives a substance abuse service (SA Benefit Plan or SA Principal Diagnosis)
- for any new drug of choice identified during the reporting period for each consumer
- when the existing substance abuse information is updated
- when a record type 12 (Discharge Details) or a record type 18 (Substance Abuse Treatment Details) is sent for an SA client

#	Data Name	Format	Data Dictionary Data Code	Key Field	Mandatory /Optional	Position	Valid Values/Remarks
1.	Record Type	Char(2)			Mandatory	1-2	'17' : Add '37' : Update '87' : Delete
2.	LME-MCO	Char(5)	cons_area_pgm_fac + area_pgm_code	Yes	Mandatory	3-7	
3.	Client Number	Char(10)	cons_id_identifier	Yes	Mandatory	8-17	Case Number
4.	Substance Abuse Start Date	Char(8)	sa_start_date	Yes	Mandatory	18-25	YYYYMMDD
5.	Substance Abuse Drug Code	Char(2)	sav_drug_code	Yes	Mandatory	26-27	
6.	Substance Abuse Drug Age at First Use	Char(2)	sav_age_first_use		Mandatory	28-29	
7.	Substance Abuse Drug Use Frequency	Char(1)	sav_drug_frequency		Mandatory	30	
8.	Substance Abuse Drug Use Route	Char(1)	sav_drug_use_route		Mandatory	31	
9.	Substance Abuse Drug Use Class	Char(1)	sav_drug_use_class	Yes	Mandatory	32	
10.	Substance Abuse End Date	Char(8)	sa_end_date		Optional	33-40	YYYYMMDD. Cannot be future date.
11.	Substance Abuse Transaction Type	Char(1)	sav_drug_trans_type		Mandatory	41	A, T, D
12.	Filler	Char(10)			Optional	42-50	Spaces

Name Substance Abuse Treatment (Movement) Details

Description This record provides substance abuse information for consumers who continue to receive a substance abuse service.

Frequency Daily

Record Size 50 Bytes

Rules

Send a record

• If an SA client has been identified as having no billable service in 60 days, but the LME-MCO has determined that the client should not be discharged, submission of a Substance Abuse Treatment (Movement) Details record (type 18) will identify that the client is still actively receiving services. Note: In addition to the substance Abuse Treatment (Movement) Details record, a Diagnosis Details (13) and a Substance Abuse (Drug of Choice) Details Record (17) must be sent.

#	Data Name	Format	Data Dictionary	Key	Mandatory	Position	Valid Values/Remarks
			Data Code	Field	/Optional		
1.	Record Type	Char(2)			Mandatory	1-2	'18' : Add
							'38' : Update
							'88' : Delete
2.	LME-MCO	Char(5)	cons_area_pgm_fac + area_pgm_code	Yes	Mandatory	3-7	
3.	Client Number	Char(10)	cons_id_identifier	Yes	Mandatory	8-17	Case Number
4.	SA Treatment (Movement) Start	Char(8)	samo_start_date	Yes	Mandatory	18-25	YYYYMMDD
	Date						
5.	Federal Service Type	Char(2)	federal_service_type	Yes	Mandatory	26-27	
6.	Methadone Planned Indicator	Char(1)	samo_meth_plan_ind	Yes	Mandatory	28	
7.	ISATS/I-BHS Code	Char(8)	ufds_code	Yes	Mandatory	29-36	
8.	SA Treatment (Movement) End	Char(8)	samo_end_date		Optional	37-44	YYYYMMDD
	(Release) Date						Cannot be future date.
9.	Filler	Char(6)			Optional	45-50	Spaces

Reading the Data Dictionary

Following is a key to reading and understanding the attached data dictionary. Please note that the dictionary is written to facilitate the technical aspects of the data; therefore, there might be some parts of it that are not clear or not consistent with the LME-MCO Reporting Requirements Please use the Reporting Requirements as your correct source of information; this dictionary is for reference only.

Table Code:	Table data element resides on					
Name:	Long data element name					
Code:	Data dictionary's code for data element; referenced in above tables. Dictionary is alphabetized by this code.					
Label:	Indicates if data element is MANDATORY, OPTIONAL, or DERIVED, on the particular table in the data dictionary. Do not use this to determine LME-MCO submission requirements; use the instructions in the reporting requirements above. Ignore those data elements that are labeled 'INSTITUTION ONLY' or 'DERIVED'; these do not apply to LME-MCO's.					
Domain:	N/A					
Туре:	indicates type and length of field: Char = alphanumeric field Datetime = date and time field Integer = number with no decimals					
Description:	Definition/description of the data element including valid values and edits. This is the area in which to find detailed descriptions and valid values for reporting.					
Annotation:	 Data migration - processes, notes, etc. for converting data element from current Client Information System. Post migration - processes, notes, etc. pertaining to the regular processing or loading of data into the CDW; used to write load programs. 					

Operational Instructions

Deadlines and Schedules

User Acceptance Test Files

- Test system is refreshed with Production data each morning.
- Test files can be sent daily, but the same file can only be sent once per day.
- Test files will be processed twice daily at 1:00 pm and a nightly batch cycle after normal business hours.
- Test error files will be available for download the next day (after processing).
- Test error files will be deleted after no more than five business days due to space considerations.

Production Files

- Production files can be sent daily, with a limit of one file per day, M-F.
- All data files must be dated greater than ANY previous data file which has been processed.
- Production files will be processed as part of a nightly batch cycle after normal business hours.
- Production error files will be available for download the next day (after processing).
- Production error files will be deleted after no more than five business days due to space considerations.

Processing Limitations

The only limits for sending data to be processed are those set forth by the **LME-MCO Performance Agreement** (stipulates that data files are due by the 15th of the month), unless otherwise noted above. There is no longer a monthly batch process by which data needs to be received, in order to be processed. All data is processed by automated batch systems.

System Access and FTP

Userid's and Passwords

Userid's

- Each LME-MCO will have their own userids and passwords. This will connect you to your own subdirectory on the UNIX machine at SIPS.
- For Production, The UNIX userid will be **apnnn** where nnn= LME-MCO number. For example, the UNIX userid for Smoky Mountain will be ap101.
- For Test, The UNIX userid will be **apnnnt** where nnn= LME-MCO number and the constant, **t** represents "test". For example, the UNIX userid for Smoky Mountain will be ap101t.

Please note that in the UNIX world, there is a difference between upper case and lower case. All userids and passwords will be all lower case. If upper case is entered, you will get an error.

Listed below are all the LME-MCOs. Please let us know immediately if any of these are incorrect. Mergers scheduled for 07/01/2015 are not reflected below.

- 101 Smoky Mountain
- 112 Cardinal Innovations
- 114 Partners Behavioral Healthcare
- 202 CenterPointe Human Services
- 303 Sandhills Center
- 407 East Carolina Behavioral Health
- 408 Eastpointe
- 414 CoastalCare

Passwords

Please contact Data Operations for password information and follow the TELNET instructions below to change your password as quickly as possible.

Again, please note that in the UNIX world, there is a difference between upper case and lower case. All user-ids and passwords will be all lower case. If upper case is entered, you will get an error.

In the future, to change your password (or for System/Communication problems) please contact:

ITS Help Desk @ 919-754-6000 or toll free at 1-800-722-3946 and ask for UNIX support

To change a password, the following information must be provided:

- LME-MCO-MCO number and name
- Your name and phone number
- Current password

In addition you must use **TELNET** to maintain and change passwords. If a new password is granted, it is just temporary and must be changed upon first use. Go to **TELNET** where upon entering the temporary password, you will be prompted to enter a new one. This ensures security, so that not even ITS will know your password.

Host Name, Files, and Subdirectories

Host

scc011.its.state.nc.us -- TEST Server scc012.its.state.nc.us -- PROD Server

This is the name to use when Ftp'ing. The servers are SSH (Secure Shell) servers using Secure File Transfer Protocol (SFTP). SSH encrypts all communications to and from the client and server. When an SSH connection is made, SFTP is the protocol that is used to perform all tasks on that single secure connection

Note: SIMPC will not work for this system.

Files and Subdirectories

Each LME-MCO will have access to its own subdirectory only. You will be allowed to create files on this subdirectory; **modification of existing (previously sent) files will not be allowed.** If you send an erroneous file and you want it deleted **BEFORE** it is loaded to the CDW, you have the authority to remove the file from our system.

The files Ftp'd to the division must be in binary format. The following names must be used:

apnnn_ccyymmdd.dat.gpg (Encrypted Area Program Data File)

where apnnn = UNIX userid i.e. LME-MCO number ccyy = 4 character year. mm = month dd = day

apnnn_ccyymmdd.err.gpg (Encrypted Area Program Error Report)

where apnnn = UNIX userid ccyy = 4 character year. mm = month dd = day

apnnn_ccyymmdd.err.dat.gpg (Encrypted Area Program Error Data File)

where apnn = UNIX userid ccyy = 4 character year. mm = month dd = day

Error Files Returned to LME-MCO

Each record in the error file will contain the error transaction, in the same format as sent, followed by the error message. There will be total number of transactions record at the end.

In addition to the above error files, a Batch Control file containing statistics for each LME-MCO will be provided under the following format and naming convention:

apnnn_ccyymmdd.ctl.gpg (Encrypted Area Program Batch Control Statistics)

where apnnn = UNIX userid ccyy = 4 character year. mm = month dd = day