North Carolina Department of Health and Human Services Division of Mental Health, Developmental Disabilities and Substance Abuse Services





Introduction

This report is available to Local Management Entities, providers and the NC Division of Mental Health, Developmental Disabilities and Substance Abuse Services on data gathered for substance abuse consumers through the North Carolina Treatment Outcomes and Program Performance System (NC-TOPPS). It includes charts, tables and text information describing demographic characteristics, symptoms, behaviors and activities, service needs, supports and barriers, family and housing issues and outcome measures collected through an interview with consumers at the beginning of treatment. It should be noted that not every data element or response category on the NC-TOPPS Initial Interview is displayed in this report.

Please note that the charts and tables may not always match online queries that you may conduct. The data used in these reports will not necessarily reflect the same points in time. In addition, NDRI who produces these reports cleans the data and removes apparent duplicates prior to preparing the tables and charts.

Additional information about NC-TOPPS and printable version of the interviews are available at <u>http://www.ncdhhs.gov/mhddsas/nc-topps/</u>

General Information on Interpreting Tables

| Types of Statistics | ► A <u>count</u> shows the actual number of clients or responses. |
|----------------------|--|
| | ► A <u>percentage</u> is the number of clients with a characteristic or behavior divided by all the clients in the group of interest multiplied by 100. Percentages will be designated with a % sign next to the number. |
| | ► An <u>average</u> is the sum of a set of values divided by the number of values in the set. When a number in a cell is an average, the word average will appear in the row descriptor. |
| | ► A <u>median</u> is the middle number in a set of numbers, arranged from lowest to highest. For example, the median for the following numbers: 9, 12, 12, 15, 17, 20, 22 , 23, 25, 28, 31, 35, 62 is the bolded number, 22. Medians are important measures of central tendency, especially when a mean may be skewed by a very high or very low value. When a number in a cell is a median, the word median will appear in the row descriptor. |
| Missing Data | For many of the NC-TOPPS forms received, a particular item or question may have been left blank. In calculating the means, medians, and percentages in cells of questionnaire items, this missing data is excluded from the calculation. For example, program X may have submitted 50 assessments but in 2 of the assessments, gender was left blank. When the percent of males is calculated, the 25 males are shown as 52% (25/48*100). |
| Denominator | The denominator for nearly all percentages is the number of cases shown on the bottom left of the page minus item missing data. All exceptions to this general rule are specifically noted with appropriate text in the graphic or table. This text will state which group is included or excluded from the denominator, such as "of those in the labor force" or "of those with children." |
| Multiple Response | "Multiple response" indicates a "mark all that apply" type question in which more than one response to a question is allowed. The total of responses may add to greater than 100%. Examples are health insurance or diagnoses. This is in contrast to items such as gender where only a single response is allowed. |
| Definitions of terms | The appendix at the end of the report gives definitions of acronymns, abbreviations, and other terms used in this report. |
| Special notes: | This report does not include private OTP/methadone consumers, but does include OTP/methadone consumers utilizing public funding. |



This table shows the number of consumers in this report by LME.

| LME | Number |
|---------------------------------|--------|
| Alamance-Caswell | 255 |
| Beacon Center | 637 |
| CenterPoint | 1,926 |
| Crossroads | 582 |
| Cumberland | 894 |
| Durham Center | 609 |
| East Carolina Behavioral Health | 1,247 |
| Eastpointe | 1,260 |
| Five County | 421 |
| Guilford | 841 |
| Johnston | 211 |
| Mecklenburg | 3,233 |
| Mental Health Partners | 936 |
| Onslow-Carteret | 228 |
| Orange-Person-Chatham | 388 |
| Pathways | 1,175 |
| PBH | 1,925 |
| Sandhills | 1,472 |
| Smoky Mountain Center | 1,159 |
| Southeastern Center | 952 |
| Southeastern Regional | 760 |
| Wake | 1,185 |
| Western Highlands | 1,279 |
| Total | 23,575 |





1-2: Hispanic Origin

Of the Statewide consumers, 3% indicate that they are of Hispanic, Latino, or Spanish origin.

1-3: Race/Ethnicity



| 1-4: Aş | ge Grou | սթ | | | | |
|----------|---------|----------------|-----|-----|-----|------|
| | 0% | 20% | 40% | 60% | 80% | 100% |
| 18 to 2 | 20 💋 6 | 6% | I | 1 | | |
| 21 to 3 | 30 | | 33% | | | |
| 31 to 4 | 40 | ///// 2 | 25% | | | |
| 41 to 5 | 50 | 2 | 4% | | | |
| 51 to 6 | 50 | 11% | | | | |
| 61 & ove | er 🛿 1% |) | | | | J |

1-5: Gender and Age



1-6: Gender and Race/Ethnicity





| 2-1: Consumers in | Special SA | Programs |
|-------------------|-------------------|----------|
|-------------------|-------------------|----------|

| | % |
|-------------------|-----|
| Methadone | 9% |
| TASC | 10% |
| Maternal/Pregnant | 2% |

2-2: Type of Substance Use, Past 12 Months

| | % |
|--|-----|
| Any alcohol or tobacco use | 85% |
| Any use of illicit drugs or other substances | 76% |

2-3: Substance Use, Past 12 Months





2-5: Needle Used To Inject Drugs, Non-Medically

| Needle use ever | 18% |
|--------------------------|-----|
| Needle use past 3 months | 8% |

Number of Initial Interviews: Statewide = 23,575

page 2



3-1: Co-Occurring Status

| Services/Supports areas | % |
|-----------------------------------|-----|
| Substance Abuse Only | 65% |
| Substance Abuse and Mental Health | 35% |

3-2: Among Co-Occurring Consumers, Type of Treatment Professional Providing Services/Supports

| Type of Qualified Professional (QP) | Number |
|-------------------------------------|--------|
| QP in Substance Abuse | 471 |
| QP in Mental Health | 1,240 |
| QP in both | 6,449 |
| Total Co-Occurring Consumers | 8,160 |

3-3: DSM-IV Diagnoses

| Diagnostic Category | % |
|---------------------------------------|-----|
| Drug Dependence | 65% |
| Alcohol Dependence | 37% |
| Drug Abuse | 14% |
| Alcohol Abuse | 12% |
| Anxiety disorder | 9% |
| Major Depression | 19% |
| Bipolar disorder | 11% |
| Schizophrenia | 5% |
| Personality Disorder | 3% |
| Post traumatic stress disorder (PTSD) | 7% |

* Only most commonly diagnosed conditions shown.

3-4: Severity of Mental Health Symptoms, Past Month



Number of Initial Interviews: Statewide = 23,575

3-5: General Assessment of Functioning (GAF)

Among Statewide consumers, the average GAF score was 46.5 and the median score was 45.

3-6: How Often Problems Interfere with Work, School, or Other Daily Activities, Past 3 Months



3-7: Behavior Problems and Symptoms

| | % |
|---|-----|
| Suicidal attempts, ever | 23% |
| Suicidal thoughts, past 3 months | 24% |
| Tried to hurt or cause self pain, past 3 months | 7% |
| Hit/physically hurt another person, past 3 months | 10% |

3-8: Experienced Violence

| Physical violence, past 3 months | 10% |
|----------------------------------|-----|

3-9: Arrests, Jail, and Criminal Justice Status

| Any Arrests, past month | 10% |
|---|-----|
| Current Criminal Justice System supervision | 31% |
| Nights in jail or detention past 3 months | 15% |

page 3



4-1: Employment, Past 3 Months

75% of Statewide consumers are in the labor force meaning that they are working, or unemployed and looking for work.

| Of those in the labor force | |
|-----------------------------|-----|
| Employed full-time | 14% |
| Employed part-time | 13% |
| Unemployed (seeking work) | 72% |

0% 20% 40% 60% 80% Private residence 75% Homeless 8% Institution or facility 4% 1 3% Temporary housing 7% Other 4%



4-3: Homeless Nights, Past 3 Months

Among Statewide consumers, 13% reported night(s) homeless during the past 3 months.

4-4: Times Moved Residences in the Past Year

| No moves | 53% |
|-------------------------|-----|
| Moved once | 25% |
| Moved two or more times | 23% |

Note: Of Statewide homeless consumers, 1062 were in

shelters and 682 were not in shelters.



5-1: Service Needs Rated "Very Important"



5-2: Consumer Ratings on Quality of Life









5-4: Support for Recovery

Among those consumers with family or friends, 92% indicate that their family and/or friends will be supportive of their treatment and recovery efforts.



5-5: Health Insurance



6-1: Routine Health Care

Among Statewide consumers, 62% have seen their provider within the past year for a routine check-up.

6-2: Health Services Utilized Past 3 Months



6-3: Weeks of Outpatient SA Treatment in Past 3



6-4: Barriers to Treatment 0% 20% 40% 60% 80% 100% Transportation 11% Cost 6% Mental health 10% symptoms 17% SA symptoms 3% Stigma 2% Access Physical 3% health Family issues 2% Trtmt 4% engagement Other 3% None 65%

6-5: Provider Choice

| Received list of options of places to get | |
|--|-----|
| services | 70% |
| Came here (to this provider) on my own | 20% |
| Did not receive list or options for services | 8% |

6-6: Timeliness of Services

| The first service was in a time frame that | |
|--|-----|
| met my needs | 96% |

Number of Initial Interviews: Statewide = 23,575



7-1: Female Substance Abuse Consumers

Several questions on the NC-TOPPS interview are asked only to females consumers. The tables and charts on this page show the results for those questions. In addition, several other charts are shown for females only. The number of Statewide females is 9,760.

7-2: Females with Children Under 18

Of Statewide female consumers, 58% have children under the age of 18.

| Of females with children | % |
|----------------------------------|-----|
| Have custody of all children | 59% |
| Have custody of some children | 11% |
| Have custody of none of children | 31% |

7-3: Pregnancy

| | Number |
|----------------------------------|--------|
| Currently pregnant | 479 |
| Uncertain about pregnancy status | 102 |
| In first trimester | 137 |
| In second trimester | 195 |
| In third trimester | 140 |

Note: Numbers may not add, due to missing data.

7-4: Sexual Risk Activity Among Females

Participation in any one or more of these activities: (a) had sex with someone who was not your spouse or primary partner, (b) knowlingly had sex with someone who injected drugs, or (c) traded, gave, or received sex for drugs.

| Ever | 33% |
|------------------|-----|
| In past 3 months | 10% |

7-5: Females Forced or Pressured to do Sexual Acts

| Ever | 17% |
|------------------|-----|
| In past 3 months | 1% |

7-6: Lifetime Suicide Attempts Among Females 31% of Statewide female consumers have attempted suicide at least once during their lifetime.

7-7: Behavior Problems and Symptoms Expressed, Past 3 Months Among Females

| | % |
|------------------------------------|-----|
| Suicidal thoughts | 27% |
| Tried to hurt or cause self pain | 9% |
| Hit/physically hurt another person | 12% |

7-8: Females Experienced Violence

| | % |
|----------------------------------|-----|
| Physical violence, past 3 months | 15% |

7-9: DSS Involvement Among Females



7-10: Selected Substance Use, Past 12 Months Among Females



Number of Initial Interviews for Female Consumers: Statewide = 9,760

page 7



Appendix Adult Substance Abuse Acronyms and Abbreviations

| Acronym or Term | Definition |
|-----------------|--|
| Af Amer. | African American |
| Benzodiaz. | Benzopdiazepine(s) |
| Cauc. | Caucasian |
| DSM | Diagnostic and Statistical Manual (Edition IV) |
| DSS | Division of Social Services |
| Her | Heroin |
| Marij. | Marijuana |
| Methamphet. | Methamphetamines |
| MH | Mental Health |
| QP | Qualified Professional |
| SA | Substance Abuse |